MAR 2 6 1985

D101.16:4931-95-CL-A07-HR

ORIGINAL

# SC 4931-95-CL-A07-HR

## DEPARTMENT OF THE ARMY SUPPLY CATALOG

HAND RECEIPT CATALOG
COVERING CONTENT OF:
SETS, KITS, AND OUTFITS COMPONENTS LIST
FOR

# SHOP EQUIPMENT, INSTRUMENT AND FIRE CONTROL: FIELD MAINTENANCE, BASIC, LESS POWER

DES
501

## (NSN 4931-00-754-0740)

## (LIN T31784)

## AND

# SHOP EQUIPMENT, INSTRUMENT AND FIRE CONTROL: FIELD MAINTENANCE, BASIC MAP ONLY (NSN 4931-00-919-0101)

**DO NOT DESTROY THIS PUBLICATION BY USING AS A HAND RECEIPT.**

**It is intended to be used as an original to be reproduced locally in the number of copies actually needed to support hand receipt transaction.**

HEADQUARTERS, DEPARTMENT OF THE ARMY
DECEMBER 1984

BEST COPY AVAILABLE

HAND RECEIPT
SC 4931-95-CL-A07-HR

HEADQUARTERS
DEPARTMENT OF THE ARMY
WASHINGTON, D C, 20 DECEMBER 1984

# HAND RECEIPT CATALOG COVERING CONTENT OF:

## SETS, KITS, AND OUTFITS COMPONENTS LIST

## SHOP EQIUIPMENT, INSTRUMENT AND FIRE CONTROL: FIELD MAINTENANCE, BASIC LESS POWER

(NSN 4931-00-754-0740)
(LIN T31784)

## INTRODUCTION

1. SCOPE. THIS HAND RECEIPT CATALOG PROVIDES A LISTING ON A PREPRINTED DA FORM 2062 (HAND RECEIPT) OF ACCOUNTABLE SETS, KITS, AND OUTFITS: ITEMS RELATED TO SHOP EQUIPMENT, INSTRUMENT AND FIRE CONTROL: FIELD MAINTENANCE, BASIC, LESS POWER.

2. GENERAL. THIS CATALOG IS AN OVERPRINTED DA FORM 2062 CONSISTING OF A LISTING OF SETS, KITS, AND OUTFITS ITEMS EXTRACTED FROM SC 4931-95-CL-A07. THE OVERPRINTED DA FORM 2062 WILL AID THE PROPERTY ACCOUNTABILITY OFFICERS IN PREPARATION OF HAND RECEIPTS REQUIRED BY DA PAM 710-2-1. THOSE NSNS IDENTIFIED BY AN (X) IN THE ARC ON THE HAND RECEIPT PAGES NEED NOT BE COUNTED UNDER THE PROVISIONS OF CHAPTER 5, DA PAM 710-2-1. ITEMS WILL BE ORDERED AS REQUIRED. LOCAL REPRODUCTION OF THE OVERPRINTED DA FORM 2062 IS AUTHORIZED. EXTRA COPIES OF THE HAND RECEIPT ARE AVAILABLE THROUGH: COMMANDER, US ARMY ADJUTANT GENERAL PUBLICATIONS CENTER, 2800 EASTERN BOULEVARD, BALTIMORE, MD 21220.

3. REPORTING OF ERRORS. YOU CAN HELP IMPROVE THIS PRODUCTION. IF YOU FIND ANY MISTAKES, PLEASE LET US KNOW. MAIL YOUR LETTER, DA FORM 2028 (RECOMMENDED CHANGES TO PUBLICATIONS AND BLANK FORMS) TO: COMMANDER, US ARMY ARMAMENT, MUNITIONS AND CHEMICAL COMMAND, ATTN: DRSMC-MAS, ROCK ISLAND, IL 61299. A REPLY WILL BE FURNISHED DIRECTLY TO YOU.

4. EXPLANATION OF BLOCKS AND COLUMNS. REFER TO CHAP. 6, DA PAM 710-2-1.

*THIS CATALOG SUPERSEDES SC 4931-95-CL-A07-HR, 12 JUNE 1979.



BEST COPY AVAILABLE

| HAND RECEIPT/ANNEX NUMBER<br>*For use of this form, see DA PAM 710-2-1. The proponent agency is ODCSLOG.* | FROM: | TO: | HAND RECEIPT NUMBER |
|---|---|---|---|

| FOR ANNEX/CR ONLY | END ITEM STOCK NUMBER | END ITEM DESCRIPTION | PUBLICATION NUMBER | PUBLICATION DATE | QUANTITY |
|---|---|---|---|---|---|
| | 4931-00-754-0740 | SHOP SET, INSTRUMENT AND FIRE CONTROL: FIELD MAINTENANCE, | SC 4931-95-CL-A07-HR | DECEMBER 84 | |

| STOCK NUMBER<br>*a.* | ITEM DESCRIPTION<br>*b.* | *<br>*c.* | SEC<br>*d.* | UI<br>*e.* | QTY AUTH<br>*f.* | *g.* QUANTITY | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | A | B | C | D | E | F |
| 4931-00-919-0101 | SHOP SET, INSTRUMENT AND FIRE CONTROL: FIELD | X | U | | | | | | | | |
| 5120-00-293-0019 | BENDER SET,TUBE HAND: EXTERNAL SPR TYPE, SGL SIZE, | D | M | SE | | | | | | | |
| 5120-00-234-8743 | BENDER,TUBE HAND: 1/2 IN. OD OF TBG ACCOM | D | M | EA | 1 | | | | | | |
| 5120-00-234-8741 | BENDER,TUBE HAND: 3/8 IN. OD OF TBG ACCOM | D | M | EA | 1 | | | | | | |
| 5120-00-234-8744 | BENDER,TUBE HAND: 5/8 IN. OF TBG ACCOM | D | M | EA | 1 | | | | | | |
| 5120-00-234-8739 | BENDER,TUBE,HAND: 1/4 IN. OD OF TBG ACCOM | D | M | EA | 1 | | | | | | |
| 5120-00-234-8740 | BENDER,TUBE,HAND: 5/16 IN. OF TBG ACCOM | D | M | EA | 1 | | | | | | |
| 5120-00-234-8742 | BENDER,TUBE,HAND: 7/16 IN. TBG ACCOM | D | M | EA | 1 | | | | | | |
| 5110-00-277-4588 | BLADE,HAND HACKSAW: HSS FLEX, 24 TEETH PER IN; | D | M | EA | 2 | | | | | | |
| 5110-00-277-4589 | BLADE,HAND,HACKSAW;HSS,FLEX BACK, | D | M | EA | 2 | | | | | | |
| 5110-00-293-2494 | BLADE,JEWELER'S SAW: 0.024 IN. W X 0.011 IN. THK | D | M | PG | 1 | | | | | | |
| 5110-00-293-0025 | BLADE,JEWELER'S SAW: 0.028 IN. W, 0.014 IN. THK | D | M | PG | 1 | | | | | | |
| 5110-00-234-6336 | BLADE,JEWELER'S SAW: 0.029 IN. W X 0.014 IN. THK | D | M | PG | 1 | | | | | | |
| 5110-00-241-2582 | BLADE,JEWELER'S SAW: 0.032 IN. W X 0.015 IN. THK | D | M | PG | 1 | | | | | | |
| 8115-00-663-0212 | BOX, SMALL PARTS: PLSTC, 16 COMPARTMENTS, HINGED COVER, | X | U | EA | 10 | | | | | | |
| 7920-00-514-2417 | BRUSH, ACID SWABBING: BRISTLE AND HORSEHAIR, | X | U | GR | 1 | | | | | | |
| 8020-00-224-8022 | BRUSH,ARTIST'S: MET FERRULE, RND TPR PT, SQUIRREL | X | U | EA | 6 | | | | | | |
| 8020-00-262-9099 | BRUSH,ARTIST'S: MET FERRULE, RND TPR PT, CAMEL HAIR | X | U | EA | 6 | | | | | | |
| 7920-00-178-8315 | BRUSH,DUSTING,BENCH: HORSE HAIR, 8 IN. MIN LG | X | U | EA | 1 | | | | | | |
| 7920-00-224-7987 | BRUSH,FILE CLEANER: CARD BRUSH AND SCORER MATERIAL | X | U | EA | 1 | | | | | | |

* WHEN USED AS A
HAND RECEIPT, enter Hand Receipt Annex Number
HAND RECEIPT FOR QUARTERS FURNITURE, enter Condition Codes
HAND RECEIPT ANNEX/COMPONENTS RECEIPT, enter Accounting Requirements Code (ARC)



DA FORM JAN 82 2062

EDITION OF JAN 58 IS OBSOLETE

BEST COPY AVAILABLE

| STOCK NUMBER *a.* | ITEM DESCRIPTION *b.* | * *c.* | SEC *d.* | UI *e.* | QTY AUTH *f.* | *g.* QUANTITY A | B | C | D | E | F |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 8020-00-263-3873 | BRUSH,PAINT: OVAL, 1 IN. W X 5/8 IN. THK, | X | U | EA | 8 | | | | | | |
| 7920-00-291-5815 | BRUSH,WIRE,SCRATCH: S WIRE, RECT FACE, 13.688 IN. TO | X | U | EA | 1 | | | | | | |
| 7125-00-330-0130 | CABINET,STORAGE: VEHICLE REPAIR PARTS AND TOOLS | N | U | EA | 2 | | | | | | |
| 6150-00-682-3460 | CABLE ASSEMBLY,POWER,ELECTRICAL: 3 CNDCT, 12 AWG, | X | U | EA | 5 | | | | | | |
| 5210-00-554-7135 | CALIPER SET,MICROMETER,OUTSIDE: 0 TO 3 IN. RG | N | M | SE | | | | | | | |
| 5210-00-221-1945 | CALIPER MICROMETER,OUTSIDE: 2 TO 3 IN. RG | D | M | EA | 1 | | | | | | |
| 5210-00-540-2973 | CALIPER,MICROMETER,OUTSIDE: 0 TO 1 IN. RG | D | M | EA | 1 | | | | | | |
| 5210-00-243-2933 | CALIPER,MICROMETER,OUTSIDE: 1 TO 2 IN. RG | D | M | EA | 1 | | | | | | |
| 5210-00-229-3026 | CALIPER,HERMAPHODITE: FIRM JT, 6 IN. SIZE, W/ADJ PT | D | M | EA | 1 | | | | | | |
| 5210-00-529-2032 | CALIPER,INSIDE,THREAD: SPR JT, 4 IN. SIZE | D | M | EA | 1 | | | | | | |
| 5210-00-229-3062 | CALIPER,INSIDE: SPR JT, 4 IN. SIZE | D | M | EA | 1 | | | | | | |
| 5210-00-229-3051 | CALIPER,INSIDE: SPR JT, 6 IN. SIZE | D | M | EA | 1 | | | | | | |
| 5210-00-221-1929 | CALIPER,MICROMETER,OUTSIDE: 0 TO 25-MM RG, 0.01 MM | D | M | EA | 1 | | | | | | |
| 5210-00-229-3056 | CALIPER,OUTSIDE,THREAD: SPR JT, 4 IN. SIZE | D | M | EA | 1 | | | | | | |
| 5210-00-229-3047 | CALIPER,OUTSIDE: SPR JT, 4 IN. SIZE | D | M | EA | 1 | | | | | | |
| 5210-00-229-3048 | CALIPER,OUTSIDE: SPR JT, 6 IN. SIZE | D | M | EA | 1 | | | | | | |
| 5120-00-221-1506 | CAPS,VISE JAW: COP, BRS, AL, OR PLSTC FACE; FOR 4 IN. | D | M | PR | 1 | | | | | | |
| 7105-00-269-8463 | CHAIR,FOLDING: S, W/O ARMS 16.500 IN. DEPTH , 17 IN. | X | U | EA | 1 | | | | | | |
| 5136-00-293-0968 | CHASER,THREAD HAND: 14N INTL | D | M | EA | 1 | | | | | | |
| 5136-00-273-0202 | CHASER,THREAD,HAND: 12N EXTERNAL | D | M | EA | 1 | | | | | | |
| 5136-00-277-9857 | CHASER,THREAD,HAND: 12N INTL | D | M | EA | 1 | | | | | | |
| 5136-00-277-9861 | CHASER,THREAD,HAND: 13N EXTERNAL | D | M | EA | 1 | | | | | | |
| 5136-00-277-9858 | CHASER,THREAD,HAND: 13N INTL | D | M | EA | 1 | | | | | | |
| 5136-00-277-9862 | CHASER,THREAD,HAND: 14N EXTERNAL | D | M | EA | 1 | | | | | | |
| 5136-00-132-6605 | CHASER,THREAD,HAND: 16N EXTERNAL | D | M | EA | 1 | | | | | | |



*Reverse of DA Form 2062*

BEST COPY AVAILABLE

| HAND RECEIPT/ANNEX NUMBER<br>*For use of this form, see DA PAM 710-2-1. The proponent agency is ODCSLOG.* | FROM: | TO: | HAND RECEIPT NUMBER |
|---|---|---|---|

| FOR ANNEX/CR ONLY | END ITEM STOCK NUMBER | END ITEM DESCRIPTION | PUBLICATION NUMBER | PUBLICATION DATE | QUANTITY |
|---|---|---|---|---|---|
| | 4931-00-754-0740 | SHOP SET, INSTRUMENT AND FIRE CONTROL: FIELD MAINTENANCE, | SC 4931-95-CL-A07-HR | DECEMBER 84 | |

| STOCK NUMBER<br>*a.* | ITEM DESCRIPTION<br>*b.* | *<br>*c.* | SEC<br>*d.* | UI<br>*e.* | QTY AUTH<br>*f.* | *g.* QUANTITY | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | A | B | C | D | E | F |
| 5136-00-132-6621 | CHASER,THREAD,HAND: 16N INTL | D | M | EA | 1 | | | | | | |
| 5136-00-132-6606 | CHASER,THREAD,HAND: 18N EXTERNAL | D | M | EA | 1 | | | | | | |
| 5136-00-132-6622 | CHASER,THREAD,HAND: 18N INTL | D | M | EA | 1 | | | | | | |
| 5136-00-132-6603 | CHASER,THREAD,HAND: 20N EXTERNAL | D | M | EA | 1 | | | | | | |
| 5136-00-132-6623 | CHASER,THREAD,HAND: 20N INTL | D | M | EA | 1 | | | | | | |
| 5136-00-132-6604 | CHASER,THREAD,HAND: 24N EXTERNAL | D | M | EA | 1 | | | | | | |
| 5136-00-132-6624 | CHASER,THREAD,HAND: 24N INTL | D | M | EA | 1 | | | | | | |
| 5136-00-132-6600 | CHASER,THREAD,HAND: 32N EXTERNAL | D | M | EA | 1 | | | | | | |
| 5136-00-132-6620 | CHASER,THREAD,HAND: 32N INTL | D | M | EA | 1 | | | | | | |
| 5136-00-132-6598 | CHASER,THREAD,HAND: 36N EXTERNAL | D | M | EA | 1 | | | | | | |
| 5136-00-132-6618 | CHASER,THREAD,HAND: 36N INTL | D | M | EA | 1 | | | | | | |
| 5136-00-132-6596 | CHASER,THREAD,HAND: 40N EXTERNAL | D | M | EA | 1 | | | | | | |
| 5136-00-132-6616 | CHASER,THREAD,HAND: 40N INTL | D | M | EA | 1 | | | | | | |
| 5110-00-197-9497 | CHISEL,CAPE,HAND: 5/16 IN. W CUT, 6 IN. LG OA/ | D | M | EA | 1 | | | | | | |
| 5110-00-234-1927 | CHISEL,COLD HAND: 1/4 IN. W CUT, 4 IN. LG OA/ | D | M | EA | 1 | | | | | | |
| 5110-00-221-8132 | CHISEL,COLD,HAND: 5/8 IN. W CUT, 6 IN. LG OA | D | M | EA | 1 | | | | | | |
| 5120-00-180-0907 | CLAMP,C: LT SVC RATING, 1-7/8 DEEP THROAT, 3 IN. SIZE | D | M | EA | 2 | | | | | | |
| 3460-00-180-0834 | CLAMP,PARALLEL,MACHINIST'S: 1-1/4 IN. MAX | X | U | EA | 4 | | | | | | |
| 3460-00-203-6902 | CLAMP,PARALLEL,TOOLMAKER'S: 2-1/2 IN. MAX JAW OPNG, | X | U | EA | 4 | | | | | | |
| 4931-00-554-9108 | COLLIMATOR,TELESCOPE: C/O EYEPIECE ASSY, RETICLE ASSY | D | U | EA | 1 | | | | | | |

* WHEN USED AS A
HAND RECEIPT, enter Hand Receipt Annex Number
HAND RECEIPT FOR QUARTERS FURNITURE, enter Condition Codes
HAND RECEIPT ANNEX COMPONENTS RECEIPT, enter Accounting Requirements Code (ARC).



DA FORM 2062 JAN 82

EDITION OF JAN 58 IS OBSOLETE



BEST COPY AVAILABLE

BEST COPY AVAILABLE

| STOCK NUMBER *a.* | ITEM DESCRIPTION *b.* | * *c.* | SEC *d.* | UI *e.* | QTY AUTH *f.* | *g.* QUANTITY A | B | C | D | E | F |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 5133-00-239-0786 | COUNTERSINK: HSS, 1/4 IN. DIA, 7/8 IN. LG STR SHK, | D | M | EA | 1 | | | | | | |
| 5120-00-303-5175 | CRIMPING TOOL,TERMINAL HAND: MANUAL COMPRESSION TYPE, | N | M | EA | 1 | | | | | | |
| 5120-00-596-9313 | CRIMPING TOOL,TERMINAL,HAND,MANUAL: COMPRESSION | D | M | EA | 1 | | | | | | |
| 5133-00-224-1965 | CUTTER,HOLE FORMING: DR SHK BOLT, 1/8 IN. SIZE | D | M | EA | 5 | | | | | | |
| 5133-00-224-8624 | CUTTER,HOLE FORMING: DR SHK BOLT, 5/64 IN. SIZE | D | M | EA | 5 | | | | | | |
| 5110-00-288-6520 | CUTTER,TUBE: FOR CLOSE FLARE CUTOFF, ENCLOSED FEED | D | M | EA | 1 | | | | | | |
| 8120-00-244-6984 | CYLINDER,COMPRESSED GAS: SHATTERPROOF, 1800 PSI | X | U | EA | 2 | | | | | | |
| 5136-00-357-7494 | DIE AND TAP SET, THREAD CUTTING: RND SPLIT DIES, | N | M | SE | | | | | | | |
| 5136-00-239-2772 | DIE THREAD CUTTING: THD SIZE 0.073-64UNC | D | M | EA | 1 | | | | | | |
| 5136-00-239-2773 | DIE THREAD CUTTING: THD SIZE 0.086-56UNC/ | D | M | EA | 1 | | | | | | |
| 5136-00-239-2774 | DIE THREAD CUTTING: THD SIZE 0.099-48UNC/ | D | M | EA | 1 | | | | | | |
| 5136-00-239-2775 | DIE THREAD CUTTING: THD SIZE 0.112-40UNC | D | M | EA | 1 | | | | | | |
| 5136-00-239-2776 | DIE THREAD CUTTING: THD SIZE 0.125-40UNC/ | D | M | EA | 1 | | | | | | |
| 5136-00-239-2777 | DIE THREAD CUTTING: THD SIZE 0.138-32UNC/ | D | M | EA | 1 | | | | | | |
| 5136-00-239-2778 | DIE THREAD CUTTING: THD SIZE 0.164-32UNC/ | D | M | EA | 1 | | | | | | |
| 5136-00-239-2779 | DIE THREAD CUTTING: THD SIZE 0.190-24UNC/ | D | M | EA | 1 | | | | | | |
| 5136-00-224-1461 | DIE,THREAD CUTTING: THD SIZE 0.125-20UNC | D | M | EA | 1 | | | | | | |
| 5136-00-189-3216 | DIE,THREAD CUTTING: THD SIZE 0.3125-18UNC. | D | M | EA | 1 | | | | | | |
| 5135-00-189-3217 | DIE,THREAD CUTTING: THD SIZE 0.375-16UNC. | D | M | EA | 1 | | | | | | |
| 5136-00-189-3218 | DIE,THREAD CUTTING: THD SIZE 0.4375-14UNC | D | M | EA | 1 | | | | | | |
| 5136-00-189-3219 | DIE,THREAD CUTTING: THD SIZE 0.500-13UNC | D | M | EA | 1 | | | | | | |
| 5136-00-189-3220 | DIE,THREAD CUTTING: THD SIZE 0.5625-12UNC | D | M | EA | 1 | | | | | | |
| 5136-00-189-3221 | DIE,THREAD CUTTING: THD SIZE 0.625-11UNC | D | M | EA | 1 | | | | | | |
| 5136-00-189-3222 | DIE,THREAD CUTTING: THD SIZE 0.750-10UNC | D | M | EA | 1 | | | | | | |
| 5136-00-189-3223 | DIE,THREAD CUTTING: THD SIZE 0.875-9UNC | D | M | EA | 1 | | | | | | |
| | | | | | | | | | | | |



*Reverse of DA Form 2062*

4

| HAND RECEIPT/ANNEX NUMBER<br>*For use of this form, see DA PAM 710-2-1. The proponent agency is ODCSLOG.* | FROM: | TO: | HAND RECEIPT NUMBER |
|---|---|---|---|

| FOR ANNEX/CR ONLY | END ITEM STOCK NUMBER | END ITEM DESCRIPTION | PUBLICATION NUMBER | PUBLICATION DATE | QUANTITY |
|---|---|---|---|---|---|
| | 4931-00-754-0740 | SHOP SET, INSTRUMENT AND FIRE CONTROL: FIELD MAINTENANCE, | SC 4931-95-CL-A07-HR | DECEMBER 84 | |

| STOCK NUMBER<br>*a.* | ITEM DESCRIPTION<br>*b.* | *<br>*c.* | SEC<br>*d.* | UI<br>*e.* | QTY AUTH<br>*f.* | *g.* QUANTITY<br>A | B | C | D | E | F |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 5136-00-186-6070 | DIE,THREAD CUTTING: THD SIZE 0.6875-11UNS | D | M | EA | 1 | | | | | | |
| 5136-00-239-2780 | DIE,THREAD CUTTING: THD SIZE 12-24UNC | D | M | EA | 1 | | | | | | |
| 5136-00-189-3224 | DIE,THREAD CUTTING: THD SIZE 1.0-8UNC | D | M | EA | 1 | | | | | | |
| 5136-00-729-5695 | TAP THREAD CUTTING: PLUG TYPE, THD SIZE 0.138-32UNC/ | D | M | EA | 1 | | | | | | |
| 5136-00-729-5701 | TAP THREAD CUTTING: PLUG TYPE, THD SIZE 0.875-9UNC | D | M | EA | 1 | | | | | | |
| 5136-00-889-6610 | TAP THREAD CUTTING: PLUG TYPE, THD SIZE 0.086-56UNC/ | D | M | EA | 1 | | | | | | |
| 5136-00-189-7814 | TAP THREAD CUTTING: PLUG TYPE, THD SIZE 0.073-64UNC/ | D | M | EA | 1 | | | | | | |
| 5136-00-729-5684 | TAP THREAD CUTTING: STD PT TPR, THD SIZE 0.190-24UNC/ | D | M | EA | 1 | | | | | | |
| 5136-00-528-2293 | TAP,THREAD CUTTING: BOTTOMING 0.250-20UNC/ | D | M | EA | 1 | | | | | | |
| 5136-00-276-1031 | TAP,THREAD CUTTING: PLUG TYPE, THD SIZE 0.3125-18UNC | D | M | EA | 1 | | | | | | |
| 5136-00-276-1032 | TAP,THREAD CUTTING: PLUG TYPE, THD SIZE 0.375-16UNC | D | M | EA | 1 | | | | | | |
| 5136-00-228-1039 | TAP,THREAD CUTTING: PLUG TYPE, THD SIZE 0.099-48UNC | D | M | EA | 1 | | | | | | |
| 5136-00-228-1040 | TAP,THREAD CUTTING: PLUG TYPE, THD SIZE 0.112-40UNC | D | M | EA | 1 | | | | | | |
| 5136-00-729-5690 | TAP,THREAD CUTTING: PLUG TYPE, THD SIZE 0.5625-12UNC | D | M | EA | 1 | | | | | | |
| 5136-00-729-5691 | TAP,THREAD CUTTING: PLUG TYPE, THD SIZE 0.4375-14UNC | D | M | EA | 1 | | | | | | |
| 5136-00-729-5692 | TAP,THREAD CUTTING: PLUG TYPE, THD SIZE 0.500-13UNC | D | M | EA | 1 | | | | | | |
| 5136-00-729-5693 | TAP,THREAD CUTTING: PLUG TYPE, THD SIZE 0.250-20UNC | D | M | EA | 1 | | | | | | |
| 5136-00-729-5694 | TAP,THREAD CUTTING: PLUG TYPE, THD SIZE 0.164-32UNC/ | D | M | EA | 1 | | | | | | |
| 5136-00-729-5702 | TAP,THREAD CUTTING: PLUG TYPE, THD SIZE 0.750-10UNC | D | M | EA | 1 | | | | | | |
| 5136-00-223-6228 | TAP,THREAD CUTTING: PLUG TYPE, THD SIZE 0.625-11UNC | D | M | EA | 1 | | | | | | |

* WHEN USED AS A:
HAND RECEIPT, enter Hand Receipt Annex Number
HAND RECEIPT FOR QUARTERS FURNITURE, enter Condition Codes
HAND RECEIPT ANNEX/COMPONENTS RECEIPT, enter Accounting Requirements Code (ARC).



BEST COPY AVAILABLE

DA FORM JAN 82 2062 EDITION OF JAN 58 IS OBSOLETE

BEST COPY AVAILABLE

| STOCK NUMBER *a.* | ITEM DESCRIPTION *b.* | * *c.* | SEC *d.* | UI *e.* | QTY AUTH *f.* | *g.* QUANTITY A | B | C | D | E | F |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 5136-00-585-6760 | TAP,THREAD CUTTING: PLUG TYPE, THD SIZE 0.190-24UNC/ | D | M | EA | 1 | | | | | | |
| 5136-00-889-6970 | TAP,THREAD CUTTING: PLUG TYPE, THD SIZE 0.6875-16UNS | D | M | EA | 1 | | | | | | |
| 5136-00-227-7260 | TAP,THREAD CUTTING: PLUG TYPE, THD SIZE 1.000-8UNC/ | D | M | EA | 1 | | | | | | |
| 5136-00-580-7361 | TAP,THREAD CUTTING: PLUG TYPE, THD SIZE 0.125-40UNC | D | M | EA | 1 | | | | | | |
| 5136-00-221-7874 | TAP,THREAD CUTTING: PLUG TYPE, THD SIZE 0.216-24UNC/ | X | M | EA | 1 | | | | | | |
| 5136-00-293-0711 | TAP,THREAD CUTTING: STD PT BOTTOM, THD SIZE 0.250-20UNC | D | M | EA | 1 | | | | | | |
| 5136-00-293-0712 | TAP,THREAD CUTTING: STD PT BOTTOM, THD SIZE 0.3125-18UN | D | M | EA | 1 | | | | | | |
| 5136-00-293-0715 | TAP,THREAD CUTTING: STD PT BOTTOM, THD SIZE 0.375-16UNC | D | M | EA | 1 | | | | | | |
| 5136-00-228-1054 | TAP,THREAD CUTTING: STD PT BOTTOM, THD SIZE 0.875-9UNC/ | D | M | EA | 1 | | | | | | |
| 5136-00-232-1974 | TAP,THREAD CUTTING: STD PT BOTTOM, THD SIZE 0.164-32UNC | D | M | EA | 1 | | | | | | |
| 5136-00-729-5688 | TAP,THREAD CUTTING: STD PT BOTTOM, THD SIZE 0.500-13UNC | D | M | EA | 1 | | | | | | |
| 5136-00-729-5689 | TAP,THREAD CUTTING: STD PT BOTTOM, THD SIZE 0.112-40UNC | D | M | EA | 1 | | | | | | |
| 5136-00-729-5715 | TAP,THREAD CUTTING: STD PT BOTTOM, THD SIZE 1-8UNC/ | D | M | EA | 1 | | | | | | |
| 5136-00-729-5716 | TAP,THREAD CUTTING: STD PT BOTTOM, THD SIZE .750-10UNC/ | D | M | EA | 1 | | | | | | |
| 5136-00-729-5717 | TAP,THREAD CUTTING: STD PT BOTTOM, THD SIZE 0.625-11UNC | D | M | EA | 1 | | | | | | |
| 5136-00-729-5718 | TAP,THREAD CUTTING: STD PT BOTTOM, THD SIZE 0.5625-12UN | D | M | EA | 1 | | | | | | |
| 5136-00-889-6617 | TAP,THREAD CUTTING: STD PT BOTTOM, THD SIZE 0.086-56UNC | D | M | EA | 1 | | | | | | |
| 5136-00-889-7007 | TAP,THREAD CUTTING: STD PT BOTTOM, THD SIZE 0.6875-11UN | D | M | EA | 1 | | | | | | |
| 5136-00-580-7152 | TAP,THREAD CUTTING: STD PT BOTTOM, THD SIZE 0.099-48UNC | D | M | EA | 1 | | | | | | |
| 5136-00-580-7316 | TAP,THREAD CUTTING: STD PT BOTTOM, THD SIZE 0.138-32UNC | D | M | EA | 1 | | | | | | |
| 5136-00-580-7327 | TAP,THREAD CUTTING: STD PT BOTTOM, THD SIZE 0.190-24UNC | D | M | EA | 1 | | | | | | |
| 5136-00-580-7351 | TAP,THREAD CUTTING: STD PT BOTTOM, THD SIZE .125-40UNC | D | M | EA | 1 | | | | | | |
| 5136-00-580-7353 | TAP,THREAD CUTTING: STD PT BOTTOM, THD SIZE 0.4395-14UN | D | M | EA | 1 | | | | | | |
| 5136-00-580-7357 | TAP,THREAD CUTTING: STD PT BOTTOM, THD SIZE 0.216-24UNC | D | M | EA | 1 | | | | | | |
| 5136-00-189-7812 | TAP,THREAD CUTTING: STD PT BOTTOM, THD SIZE 1-64UNC/ | D | M | EA | 1 | | | | | | |
| | | | | | | | | | | | |



*Reverse of DA Form 2062*

6

| HAND RECEIPT/ANNEX NUMBER<br>*For use of this form, see DA PAM 710-2-1. The proponent agency is ODCSLOG.* | FROM: | TO: | HAND RECEIPT NUMBER |
|---|---|---|---|

| FOR ANNEX/CR ONLY | END ITEM STOCK NUMBER | END ITEM DESCRIPTION | PUBLICATION NUMBER | PUBLICATION DATE | QUANTITY |
|---|---|---|---|---|---|
| | 4931-00-754-0740 | SHOP SET, INSTRUMENT AND FIRE CONTROL: FIELD MAINTENANCE, | SC 4931-95-CL-A07-HR | DECEMBER 84 | |

| STOCK NUMBER<br>*a.* | ITEM DESCRIPTION<br>*b.* | *<br>*c.* | SEC<br>*d.* | UI<br>*e.* | QTY AUTH<br>*f.* | *g.* QUANTITY<br>A | B | C | D | E | F |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 5136-00-825-0332 | TAP,THREAD CUTTING: STD PT TPR, THD SIZE 8-32UNC | D | M | EA | 1 | | | | | | |
| 5136-00-821-1027 | TAP,THREAD CUTTING: STD PT TPR, THD SIZE 6-32UNC/ | D | M | EA | 1 | | | | | | |
| 5136-00-821-1030 | TAP,THREAD CUTTING: STD PT TPR, THD SIZE 12-24UNC | D | M | EA | 1 | | | | | | |
| 5136-00-228-1031 | TAP,THREAD CUTTING: STD PT TPR, THD SIZE 1-8UNC | D | M | EA | 1 | | | | | | |
| 5136-00-239-2174 | TAP,THREAD CUTTING: STD PT TPR, THD SIZE 0.875-9UNC | D | M | EA | 1 | | | | | | |
| 5136-00-729-5682 | TAP,THREAD CUTTING: STD PT TPR, THD SIZE 0.750-10UNC | D | M | EA | 1 | | | | | | |
| 5136-00-729-5683 | TAP,THREAD CUTTING: STD PT TPR, THD SIZE 0.625-11UNC | D | M | EA | 1 | | | | | | |
| 5136-00-729-5685 | TAP,THREAD CUTTING: STD PT TPR, THD SIZE 5-40UNC | D | M | EA | 1 | | | | | | |
| 5136-00-729-5686 | TAP,THREAD CUTTING: STD PT TPR, THD SIZE 4-40UNC | D | M | EA | 1 | | | | | | |
| 5136-00-729-5687 | TAP,THREAD CUTTING: STD PT TPR, THD SIZE .099-48UNC | D | M | EA | 1 | | | | | | |
| 5136-00-889-6619 | TAP,THREAD CUTTING: STD PT TPR, THD SIZE .086-56UNC | D | M | EA | 1 | | | | | | |
| 5136-00-889-6965 | TAP,THREAD CUTTING: STD PT TPR, THD SIZE 0.6875-11UNS | D | M | EA | 1 | | | | | | |
| 5136-00-580-7169 | TAP,THREAD CUTTING: STD PT TPR, THD SIZE 0.5625-12UNC | D | M | EA | 1 | | | | | | |
| 5136-00-580-7333 | TAP,THREAD CUTTING: STD PT TPR, THD SIZE 0.3125-18UNC | D | M | EA | 1 | | | | | | |
| 5136-00-580-7334 | TAP,THREAD CUTTING: STD PT TPR, THD SIZE 0.500-13UNC | D | M | EA | 1 | | | | | | |
| 5136-00-580-7335 | TAP,THREAD CUTTING: STD PT TPR, THD SIZE 0.4375-14UNC | D | M | EA | 1 | | | | | | |
| 5136-00-189-7816 | TAP,THREAD CUTTING: STD PT TPR, THD SIZE 0.073-64UNC/ | D | M | EA | 1 | | | | | | |
| 5136-00-555-9205 | TAP,THREAD CUTTING: STD PT TPR, THD SIZE 0.375-16UNC | D | M | EA | 1 | | | | | | |
| 5136-00-555-9206 | TAP,THREAD CUTTING: STD PT TPR, THD SIZE 0.250-20UNC | D | M | EA | 1 | | | | | | |
| 5136-00-357-7506 | DIE AND TAP SET,THREAD CUTTING:RND SPLIT DIES, | N | M | EA | | | | | | | |

* WHEN USED AS A
HAND RECEIPT, enter Hand Receipt Annex Number
HAND RECEIPT FOR QUARTERS FURNITURE, enter Condition Codes
HAND RECEIPT ANNEX/COMPONENTS RECEIPT, enter Accounting Requirements Code (ARC)



BEST COPY AVAILABLE

BEST COPY AVAILABLE

| STOCK NUMBER *a.* | ITEM DESCRIPTION *b.* | * *c.* | SEC *d.* | UI *e.* | QTY AUTH *f.* | *g.* QUANTITY A | B | C | D | E | F |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 5136-00-186-6040 | DIE,THREAD CUTTING: THD SIZE 1.5, 35 MM PITCH | D | M | EA | 1 | | | | | | |
| 5136-00-186-6039 | DIE,THREAD CUTTING: THD SIZE 2.5, 45 MM PITCH | D | M | EA | 1 | | | | | | |
| 5136-00-186-6079 | DIE,THREAD CUTTING: THD SIZE 2, 45 MM PITCH | D | M | EA | 1 | | | | | | |
| 5136-00-186-6037 | DIE,THREAD CUTTING: THD SIZE 3, 0.60 MM, PITCH | D | M | EA | 1 | | | | | | |
| 5136-00-186-6056 | DIE,THREAD CUTTING: THD SIZE 3.5, 60 MM PITCH | D | M | EA | 1 | | | | | | |
| 5136-00-186-6041 | DIE,THREAD CUTTING: THD SIZE 4.5, 75 MM PITCH | D | M | EA | 1 | | | | | | |
| 5136-00-186-6078 | DIE,THREAD CUTTING: THD SIZE 4, 75 MM PITCH | D | M | EA | 1 | | | | | | |
| 5136-00-186-6042 | DIE,THREAD CUTTING: THD SIZE 5.5, 90 MM PITCH | D | M | EA | 1 | | | | | | |
| 5136-00-186-6057 | DIE,THREAD CUTTING: THD SIZE 5, 90 MM PITCH | D | M | EA | 1 | | | | | | |
| 5136-00-186-6058 | DIE,THREAD CUTTING: THD SIZE 6, 1 MM PITCH | D | M | EA | 1 | | | | | | |
| 5136-00-236-0422 | TAP,THREAD CUTTING: THD SIZE 1.5, 0.35 MM PITCH, | D | M | EA | 1 | | | | | | |
| 5136-00-236-0427 | TAP,THREAD CUTTING: THD SIZE 1.5, 0.35 MM PITCH, | D | M | EA | 1 | | | | | | |
| 5136-00-236-4285 | TAP,THREAD CUTTING: THD SIZE 1.5, 0.035 MM PITCH, | D | M | EA | 1 | | | | | | |
| 5136-00-237-0877 | TAP,THREAD CUTTING: THD SIZE 2, 0.45 MM PITCH, | D | M | EA | 1 | | | | | | |
| 5136-00-237-0878 | TAP,THREAD CUTTING: THD SIZE 2.5, 0.45 MM PITCH | D | M | EA | 1 | | | | | | |
| 5136-00-236-4278 | TAP,THREAD CUTTING: THD SIZE 2.5, 0.45 MM PITCH, | D | M | EA | 1 | | | | | | |
| 5136-00-236-4280 | TAP,THREAD CUTTING: THD SIZE 2, 0.45 MM PITCH, | D | M | EA | 1 | | | | | | |
| 5136-00-236-4329 | TAP,THREAD CUTTING: THD SIZE 2, 0.45 MM PITCH, | D | M | EA | 1 | | | | | | |
| 5136-00-236-4330 | TAP,THREAD CUTTING: THD SIZE 2.5, 0.45 MM PITCH, | D | M | EA | 1 | | | | | | |
| 5136-00-234-2187 | TAP,THREAD CUTTING: THD SIZE 3.5, 0.60 MM PITCH, PLUG | D | M | EA | 1 | | | | | | |
| 5136-00-236-4277 | TAP,THREAD CUTTING: THD SIZE 3, 0.60 MM PITCH, | D | M | EA | 1 | | | | | | |
| 5136-00-236-4325 | TAP,THREAD CUTTING: THD SIZE 3.5, 0.60 MM PITCH, | D | M | EA | 1 | | | | | | |
| 5136-00-236-4328 | TAP,THREAD CUTTING: THD SIZE 3, 0.60 MM PITCH, | D | M | EA | 1 | | | | | | |
| 5136-00-199-6712 | TAP,THREAD CUTTING: THD SIZE 3, 0.60 MM PITCH, | D | M | EA | 1 | | | | | | |
| 5136-00-199-6713 | TAP,THREAD CUTTING: THD SIZE 3.5, 0.60 MM PITCH, | D | M | EA | 1 | | | | | | |
| | | | | | | | | | | | |



*Reverse of DA Form 2062*

| HAND RECEIPT/ANNEX NUMBER<br>*For use of this form, see DA PAM 710-2-1. The proponent agency is ODCSLOG.* | FROM: | TO: | HAND RECEIPT NUMBER |
|---|---|---|---|

| FOR ANNEX/CR ONLY | END ITEM STOCK NUMBER | END ITEM DESCRIPTION | PUBLICATION NUMBER | PUBLICATION DATE | QUANTITY |
|---|---|---|---|---|---|
| | 4931-00-754-0740 | SHOP SET, INSTRUMENT AND FIRE CONTROL: FIELD MAINTENANCE, | SC 4931-95-CL-A07-HR | DECEMBER 84 | |

| STOCK NUMBER<br>*a.* | ITEM DESCRIPTION<br>*b.* | *<br>*c.* | SEC<br>*d.* | UI<br>*e.* | QTY AUTH<br>*f.* | *g.* QUANTITY<br>A | B | C | D | E | F |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 5136-00-236-4274 | TAP,THREAD CUTTING: THD SIZE 4, 0.75 MM PITCH, PLUG | D | M | EA | 1 | | | | | | |
| 5136-00-236-4275 | TAP,THREAD CUTTING: THD SIZE 4.5, 0.75 MM PITCH, | D | M | EA | 1 | | | | | | |
| 5136-00-236-4324 | TAP,THREAD CUTTING: THD SIZE 4.5, 0.75 MM PITCH, | D | M | EA | 1 | | | | | | |
| 5136-00-223-6253 | TAP,THREAD CUTTING: THD SIZE 4, 0.75 MM PITCH, | D | M | EA | 1 | | | | | | |
| 5136-00-199-6714 | TAP,THREAD CUTTING: THD SIZE 4, 0.75 MM PITCH, | D | M | EA | 1 | | | | | | |
| 5136-00-199-6715 | TAP,THREAD CUTTING: THD SIZE 4.5, 0.75 MM PITCH, | D | M | EA | 1 | | | | | | |
| 5136-00-242-2835 | TAP,THREAD CUTTING: THD SIZE 5.5, 0.90 MM PITCH, | D | M | EA | 1 | | | | | | |
| 5136-00-236-4320 | TAP,THREAD CUTTING: THD SIZE 5.5, 0.90 MM PITCH, | D | M | EA | 1 | | | | | | |
| 5136-00-236-4322 | TAP,THREAD CUTTING: THD SIZE 5, 0.90 MM PITCH, | D | M | EA | 1 | | | | | | |
| 5136-00-199-6702 | TAP,THREAD CUTTING: THD SIZE 5, 0.90 MM PITCH, | D | M | EA | 1 | | | | | | |
| 5136-00-199-6716 | TAP,THREAD CUTTING: THD SIZE 5. 0.90 MM PITCH, | D | M | EA | 1 | | | | | | |
| 5136-00-199-6717 | TAP,THREAD CUTTING: THD SIZE 5.5, 0.90 MM PITCH, | D | M | EA | 1 | | | | | | |
| 5136-00-236-0425 | TAP,THREAD CUTTING: THD SIZE 6, 1.00 MM PITCH, | D | M | EA | 1 | | | | | | |
| 5136-00-236-4269 | TAP,THREAD CUTTING: THD SIZE 6, 1.00 MM PITCH, PLUG | D | M | EA | 1 | | | | | | |
| 5136-00-236-4317 | TAP,THREAD CUTTING: THD SIZE 6, 1.00 MM PITCH, | D | M | EA | 1 | | | | | | |
| 5136-00-357-7504 | DIE AND TAP,SET, THREAD CUTTING: RND SPLIT DIES, | N | M | SE | | | | | | | |
| 5136-00-239-2762 | DIE,THREAD CUTTING: THD SIZE 0-80UNF | D | M | EA | 1 | | | | | | |
| 5136-00-189-3194 | DIE,THREAD CUTTING: THD SIZE 0.125-28UNF | D | M | EA | 1 | | | | | | |
| 5136-00-189-3195 | DIE,THREAD CUTTING: THD SIZE 0.3125-24UNF | D | M | EA | 1 | | | | | | |
| 5136-00-189-3196 | DIE,THREAD CUTTING: THD SIZE 0.375-24UNF | D | M | EA | 1 | | | | | | |

* WHEN USED AS A:
HAND RECEIPT, enter Hand Receipt Annex Number
HAND RECEIPT FOR QUARTERS FURNITURE, enter Condition Codes
HAND RECEIPT ANNEX/COMPONENTS RECEIPT, enter Accounting Requirements Code (ARC).



DA FORM JAN 82 2062 EDITION OF JAN 58 IS OBSOLETE

BEST COPY AVAILABLE

BEST COPY AVAILABLE

| STOCK NUMBER *a.* | ITEM DESCRIPTION *b.* | # *c.* | SEC *d.* | UI *e.* | QTY AUTH *f.* | *g.* QUANTITY A | B | C | D | E | F |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 5136-00-189-3197 | DIE,THREAD CUTTING: THD SIZE 0.4375-20UNF | D | M | EA | 1 | | | | | | |
| 5136-00-189-3198 | DIE,THREAD CUTTING: THD SIZE 0.500-20UNF | D | M | EA | 1 | | | | | | / |
| 5136-00-189-3199 | DIE,THREAD CUTTING: THD SIZE 0.5625-18UNF | D | M | EA | 1 | | | | | | |
| 5136-00-189-3200 | DIE,THREAD CUTTING: THD SIZE 0.625-18UNF | D | M | EA | 1 | | | | | | |
| 5136-00-189-3201 | DIE,THREAD CUTTING: THD SIZE 0.750-16UNF | D | M | EA | 1 | | | | | | |
| 5136-00-189-3238 | DIE,THREAD CUTTING: THD SIZE 0.875-14UNF | D | M | EA | 1 | | | | | | |
| 5136-00-186-6053 | DIE,THREAD CUTTING: THD SIZE 0.6875-16NS | D | M | EA | 1 | | | | | | |
| 5136-00-239-2763 | DIE,THREAD CUTTING: THD SIZE 1-72UNF | D | M | EA | 1 | | | | | | |
| 5136-00-239-2769 | DIE,THREAD CUTTING: THD SIZE 10-32UNF | D | M | EA | 1 | | | | | | |
| 5136-00-239-2770 | DIE,THREAD CUTTING: THD SIZE 12-28UNF | D | M | EA | 1 | | | | | | |
| 5136-00-189-3239 | DIE,THREAD CUTTING: THD SIZE 1.0-14UNS | D | M | EA | 1 | | | | | | |
| 5136-00-820-8090 | DIE,THREAD CUTTING: THD SIZE 1.0-12UNF | D | M | EA | 1 | | | | | | |
| 5136-00-239-2764 | DIE,THREAD CUTTING: THD SIZE 2-64UNF | D | M | EA | 1 | | | | | | |
| 5136-00-237-8263 | DIE,THREAD CUTTING: THD SIZE 3-56UNF | D | M | EA | 1 | | | | | | |
| 5136-00-239-2765 | DIE,THREAD CUTTING: THD SIZE 4-48UNF/ | D | M | EA | 1 | | | | | | |
| 5136-00-239-2766 | DIE,THREAD CUTTING: THD SIZE 5-44UNF | D | M | EA | 1 | | | | | | |
| 5136-00-239-2767 | DIE,THREAD CUTTING: THD SIZE 6-40UNF/ | D | M | EA | 1 | | | | | | |
| 5136-00-239-2768 | DIE,THREAD CUTTING: THD SIZE 8-36UNF/ | D | M | EA | 1 | | | | | | |
| 5136-00-580-7170 | TAP THREAD CUTTING: TPR TYPE THD, SIZE 0.5625-18UNF | D | M | EA | 1 | | | | | | |
| 5136-00-580-7330 | TAP,THREAD CUTTING: BOTTOMING TYPE, THD SIZE | D | M | EA | 1 | | | | | | |
| 5136-00-228-1004 | TAP,THREAD CUTTING: HSS, PLUG TYPE, STR FLUTE, | D | M | EA | 1 | | | | | | |
| 5136-00-889-6629 | TAP,THREAD CUTTING: HSS, PLUG TYPE, STR FLUTE, | D | M | EA | 1 | | | | | | |
| 5136-00-580-7323 | TAP,THREAD CUTTING: HSS, PLUG TYPE, STR FLUTE, | D | M | EA | 1 | | | | | | |
| 5136-00-228-1005 | TAP,THREAD CUTTING: PLUG TYPE, THD SIZE .125-44UNF/ | D | M | EA | 1 | | | | | | |
| 5136-00-228-1006 | TAP,THREAD CUTTING: PLUG TYPE, THD SIZE 0.138-40UNF/ | D | M | EA | 1 | | | | | | |
| | | | | | | | | | | | |



*Reverse of DA Form 2062*

10

| HAND RECEIPT/ANNEX NUMBER<br>*For use of this form, see DA PAM 710-2-1. The proponent agency is ODCSLOG.* | FROM: | TO: | HAND RECEIPT NUMBER |
|---|---|---|---|

| FOR ANNEX/CR ONLY | END ITEM STOCK NUMBER | END ITEM DESCRIPTION | PUBLICATION NUMBER | PUBLICATION DATE | QUANTITY |
|---|---|---|---|---|---|
| | 4931-00-754-0740 | SHOP SET, INSTRUMENT AND FIRE CONTROL: FIELD MAINTENANCE, | SC 4931-95-CL-A07-HR | DECEMBER 84 | |

| STOCK NUMBER<br>*a.* | ITEM DESCRIPTION<br>*b.* | *<br>*c.* | SEC<br>*d.* | UI<br>*e.* | QTY AUTH<br>*f.* | *g.* QUANTITY<br>A | B | C | D | E | F |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 5136-00-228-1007 | TAP,THREAD CUTTING: PLUG TYPE, THD SIZE 0.164-36UNF | D | M | EA | 1 | | | | | | |
| 5136-00-228-1009 | TAP,THREAD CUTTING: PLUG TYPE, THD SIZE .216-28UNF | D | M | EA | 1 | | | | | | |
| 5136-00-841-2837 | TAP,THREAD CUTTING: PLUG TYPE, THD SIZE 1.000-12UNF/ | D | M | EA | 1 | | | | | | |
| 5136-00-555-3177 | TAP,THREAD CUTTING: PLUG TYPE, THD SIZE 0.625-18UNF | D | M | EA | 1 | | | | | | |
| 5136-00-889-6971 | TAP,THREAD CUTTING: PLUG TYPE, THD SIZE 0.688-16UNS/ | D | M | EA | 1 | | | | | | |
| 5136-00-580-7182 | TAP,THREAD CUTTING: PLUG TYPE, THD SIZE 0.4375-20UNF | D | M | EA | 1 | | | | | | |
| 5136-00-580-7184 | TAP,THREAD CUTTING: PLUG TYPE, THD SIZE 0.500-20UNF | D | M | EA | 1 | | | | | | |
| 5136-00-580-7186 | TAP,THREAD CUTTING: PLUG TYPE, THD SIZE 0.5625-18UNF | D | M | EA | 1 | | | | | | |
| 5136-00-580-7188 | TAP,THREAD CUTTING: PLUG TYPE, THD SIZE 0.875-14UNF | D | M | EA | 1 | | | | | | |
| 5136-00-580-7342 | TAP,THREAD CUTTING: PLUG TYPE, THD SIZE 0.750-16UNF | D | M | EA | 1 | | | | | | |
| 5136-00-580-7359 | TAP,THREAD CUTTING: PLUG TYPE, THD SIZE 0.3125-24UNF | D | M | EA | 1 | | | | | | |
| 5136-00-580-7360 | TAP,THREAD CUTTING: PLUG TYPE, THD SIZE 0.250-28UNF | D | M | EA | 1 | | | | | | |
| 5136-00-555-8910 | TAP,THREAD CUTTING: PLUG TYPE, THD SIZE 0.375-24UNF | D | M | EA | 1 | | | | | | |
| 5136-00-272-9760 | TAP,THREAD CUTTING: PLUG TYPE, THD SIZE 0.060-80UNF | D | M | EA | 1 | | | | | | |
| 5136-00-272-9761 | TAP,THREAD CUTTING: PLUG TYPE, THD SIZE 0.073-72UNF | D | M | EA | 1 | | | | | | |
| 5136-00-729-5710 | TAP,THREAD CUTTING: STD PT BOTTOM, THD SIZE 0.375-24UNF | D | M | EA | 1 | | | | | | |
| 5136-00-729-5711 | TAP,THREAD CUTTING: STD PT BOTTOM, THD SIZE | D | M | EA | 1 | | | | | | |
| 5136-00-889-6987 | TAP,THREAD CUTTING: STD PT BOTTOM, THD SIZE 2-64UNF | D | M | EA | 1 | | | | | | |
| 5136-00-889-7008 | TAP,THREAD CUTTING: STD PT BOTTOM, THD SIZE | D | M | EA | 1 | | | | | | |
| 5136-00-580-7154 | TAP,THREAD CUTTING: STD PT BOTTOM, THD SIZE .125-44UNF | D | M | EA | 1 | | | | | | |

* WHEN USED AS A:
HAND RECEIPT, enter Hand Receipt Annex Number
HAND RECEIPT FOR QUARTERS FURNITURE, enter Condition Codes
HAND RECEIPT ANNEX/COMPONENTS RECEIPT, enter Accounting Requirements Code (ARC).



DA FORM 2062 JAN 82

EDITION OF JAN 58 IS OBSOLETE

BEST COPY AVAILABLE

BEST COPY AVAILABLE

| STOCK NUMBER *a.* | ITEM DESCRIPTION *b.* | * *c.* | SEC *d.* | UI *e.* | QTY AUTH *f.* | *g.* QUANTITY A | B | C | D | E | F |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 5136-00-580-7155 | TAP,THREAD CUTTING: STD PT BOTTOM, THD SIZE | D | M | EA | 1 | | | | | | |
| 5136-00-580-7156 | TAP,THREAD CUTTING: STD PT BOTTOM, THD SIZE | D | M | EA | 1 | | | | | | |
| 5136-00-580-7158 | TAP,THREAD CUTTING: STD PT BOTTOM, THD SIZE | D | M | EA | 1 | | | | | | |
| 5136-00-580-7160 | TAP,THREAD CUTTING: STD PT BOTTOM, THD SIZE | D | M | EA | 1 | | | | | | |
| 5136-00-580-7162 | TAP,THREAD CUTTING: STD PT BOTTOM, THD SIZE 0.750-16UNF | D | M | EA | 1 | | | | | | |
| 5136-00-580-7163 | TAP,THREAD CUTTING: STD PT BOTTOM, THD SIZE 0.875-14UNF | D | M | EA | 1 | | | | | | |
| 5136-00-580-7166 | TAP,THREAD CUTTING: STD PT BOTTOM, THD SIZE 1-12UNF | D | M | EA | 1 | | | | | | |
| 5136-00-580-7331 | TAP,THREAD CUTTING: STD PT BOTTOM, THD SIZE | D | M | EA | 1 | | | | | | |
| 5136-00-580-7332 | TAP,THREAD CUTTING: STD PT BOTTOM, THD SIZE | D | M | EA | 1 | | | | | | |
| 5136-00-580-7354 | TAP,THREAD CUTTING: STD PT BOTTOM, THD SIZE 0.250-28UNF | D | M | EA | 1 | | | | | | |
| 5136-00-580-7355 | TAP,THREAD CUTTING: STD PT BOTTOM, THD SIZE | D | M | EA | 1 | | | | | | |
| 5136-00-580-7356 | TAP,THREAD CUTTING: STD PT BOTTOM, THD SIZE 0.500-20UNF | D | M | EA | 1 | | | | | | |
| 5136-00-189-7818 | TAP,THREAD CUTTING: STD PT BOTTOM, THD SIZE 0.60-80UNF | D | M | EA | 1 | | | | | | |
| 5136-00-189-7819 | TAP,THREAD CUTTING: STD PT BOTTOM, THD SIZE | D | M | EA | 1 | | | | | | |
| 5136-00-555-8906 | TAP,THREAD CUTTING: STD PT BOTTOM, THD SIZE | D | M | EA | 1 | | | | | | |
| 5136-00-289-9607 | TAP,THREAD CUTTING: STD PT BOTTOM, THD SIZE 0.5625-18UN | D | M | EA | 1 | | | | | | |
| 5136-00-289-9613 | TAP,THREAD CUTTING: STD PT BOTTOM, THD SIZE 0.750-16UNF | D | M | EA | 1 | | | | | | |
| 5136-00-228-1008 | TAP,THREAD CUTTING: THD SIZE 0.190-32UNF/ | D | M | EA | 1 | | | | | | |
| 5136-00-228-0989 | TAP,THREAD CUTTING: TPR TYPE THD, SIZE 0.125-44UNF | D | M | EA | 1 | | | | | | |
| 5136-00-228-0995 | TAP,THREAD CUTTING: TPR TYPE THD, SIZE 0.4375-20UNF | D | M | EA | 1 | | | | | | |
| 5136-00-228-0996 | TAP,THREAD CUTTING: TPR TYPE THD, SIZE 1/2-20UNF | D | M | EA | 1 | | | | | | |
| 5136-00-555-3178 | TAP,THREAD CUTTING: TPR TYPE THD, SIZE 0.625-16UNF | D | M | EA | 1 | | | | | | |
| 5136-00-729-5677 | TAP,THREAD CUTTING: TPR TYPE THD, SIZE 0.099-56UNF | D | M | EA | 1 | | | | | | |
| 5136-00-580-7173 | TAP,THREAD CUTTING: TPR TYPE THD, SIZE 0.750-16UNF | D | M | EA | 1 | | | | | | |
| 5136-00-580-7175 | TAP,THREAD CUTTING: TPR TYPE THD, SIZE 0.875-14UNF | D | M | EA | 1 | | | | | | |
| | | | | | | | | | | | |



*Reverse of DA Form 2062*

12

| HAND RECEIPT/ANNEX NUMBER<br>*For use of this form, see DA PAM 710-2-1. The proponent agency is ODCSLOG.* | FROM: | TO: | HAND RECEIPT NUMBER |
|---|---|---|---|

| FOR ANNEX/CR ONLY | END ITEM STOCK NUMBER | END ITEM DESCRIPTION | PUBLICATION NUMBER | PUBLICATION DATE | QUANTITY |
|---|---|---|---|---|---|
| | 4931-00-754-0740 | SHOP SET, INSTRUMENT AND FIRE CONTROL: FIELD MAINTENANCE, | SC 4931-95-CL-A07-HR | DECEMBER 84 | |

| STOCK NUMBER<br>*a.* | ITEM DESCRIPTION<br>*b.* | *<br>*c.* | SEC<br>*d.* | UI<br>*e.* | QTY AUTH<br>*f.* | *g.* QUANTITY | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | A | B | C | D | E | F |
| 5136-00-580-7177 | TAP,THREAD CUTTING: TPR TYPE THD SIZE 1.000-12UNF/ | D | M | EA | 1 | | | | | | |
| 5136-00-580-7364 | TAP,THREAD CUTTING: TPR TYPE THD, SIZE 0.3125-24UNF | D | M | EA | 1 | | | | | | |
| 5136-00-580-7365 | TAP,THREAD CUTTING: TPR TYPE THD, SIZE 0.250-28UNF | D | M | EA | 1 | | | | | | |
| 5136-00-189-7824 | TAP,THREAD CUTTING: TPR TYPE THD, SIZE 0.060-80UNF | D | M | EA | 1 | | | | | | |
| 5136-00-189-7825 | TAP,THREAD CUTTING: TPR TYPE THD, SIZE 0.073-72UNF | D | M | EA | 1 | | | | | | |
| 5136-00-189-7826 | TAP,THREAD CUTTING: TPR TYPE THD SIZE 0.086-64UNF/ | D | M | EA | 1 | | | | | | |
| 5136-00-555-9203 | TAP,THREAD CUTTING: TPR TYPE THD, SIZE 0.375-24UNF | D | M | EA | 1 | | | | | | |
| 5136-00-821-1029 | TAP,THREAD CUTTING: TPR TYPE, THD SIZE 0.190-32UNF/ | D | M | EA | 1 | | | | | | |
| 5136-00-821-1031 | TAP,THREAD CUTTING: TPR TYPE, THD SIZE .216-28UNF | D | M | EA | 1 | | | | | | |
| 5136-00-729-5675 | TAP,THREAD CUTTING: TPR TYPE, THD SIZE 0.138-40UNF/ | D | M | EA | 1 | | | | | | |
| 5136-00-729-5678 | TAP,THREAD CUTTING: TPR TYPE, THD SIZE 0.012-48UNF | D | M | EA | 1 | | | | | | |
| 5136-00-729-5698 | TAP,THREAD CUTTING: TPR TYPE, THD SIZE 0.164-36UNF/ | D | M | EA | 1 | | | | | | |
| 5136-00-889-6973 | TAP,THREAD CUTTING: TPR TYPE, THD SIZE 0.6875-16UNS | D | M | EA | 1 | | | | | | |
| 5110-00-289-0002 | DIE SET,METAL STAMPING,HAND: GOTHIC STYLE, NO. 0 TO 8 | D | M | SE | 1 | | | | | | |
| 5110-00-289-0006 | DIE SET,METAL STAMPING: HAND GOTHIC STYLE, UPPER | D | M | SE | 1 | | | | | | |
| 5136-00-224-7113 | DIESTOCK: 1-1/2 IN. DIA DIE ACCOM, 12 IN. TO 18 IN. LG | D | M | EA | 1 | | | | | | |
| 5136-00-221-1236 | DIESTOCK: 13/16 IN. DIA DIE ACCOM, 6 IN. TO 8 IN. LG | D | M | EA | 1 | | | | | | |
| 5136-00-224-7114 | DIESTOCK: 2-1/2 IN. DIA DIE ACCOM, 22 IN. TO 32 IN. LG | D | M | EA | 2 | | | | | | |
| 5210-00-263-0378 | DIVIDERS,MECHANIC'S: S SPR JT TYPE, 6 IN. LG | D | M | EA | 1 | | | | | | |
| 5210-00-266-7042 | DIVIDERS,MECHANIC'S: SPR TYPE, 3 IN. LG RECT LEGS, | D | M | EA | 1 | | | | | | |

* WHEN USED AS A:
HAND RECEIPT, enter Hand Receipt Annex Number
HAND RECEIPT FOR QUARTERS FURNITURE, enter Condition Codes
HAND RECEIPT ANNEX/COMPONENTS RECEIPT, enter Accounting Requirements Code (ARC).



DA FORM JAN 82 2062

EDITION OF JAN 58 IS OBSOLETE



BEST COPY AVAILABLE

BEST COPY AVAILABLE

| STOCK NUMBER *a.* | ITEM DESCRIPTION *b.* | * *c.* | SEC *d.* | UI *e.* | QTY AUTH *f.* | *g.* QUANTITY A | B | C | D | E | F |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 5120-00-223-9952 | DRESSER,ABRASIVE WHEEL,HAND: REVOLVING CUTTER | D | M | EA | | | | | | | |
| 5120-00-278-6641 | CUTTERS,ABRASIVE WHEEL: 4 CUTTERS, 2 SEPERATORS, CUTTER | D | M | EA | 3 | | | | | | |
| 5120-00-239-0036 | DRIFTPIN: SGL TPR, 1/2 IN. LARGEST DIA, 4 IN. LG | D | M | EA | 1 | | | | | | |
| 5120-00-239-0035 | DRIFTPIN: SGL TPR, 1/4 IN. LARGEST DIA, 4 IN. LG | D | M | EA | 1 | | | | | | |
| 5120-00-239-0037 | DRIFTPIN: SGL TPR, 3/4 IN. LARGEST DIA, 6 IN. LG | D | M | EA | 1 | | | | | | |
| 5133-00-293-0983 | DRILL SET, TWIST: HSS, STR RND SHK, RH CUT, W/CASE | N | M | SE | | | | | | | |
| 5133-00-227-9660 | DRILL,TWIST: .281 IN. DIA, 2.9375 IN. FLUTE LG, | D | M | EA | 1 | | | | | | |
| 5133-00-227-9658 | DRILL,TWIST: 0.250 IN. DIA, 2.750 IN. FLUTE LG, | D | M | EA | 1 | | | | | | |
| 5133-00-227-9646 | DRILL,TWIST: 1/16 IN. DIA, 7/8 IN. FLUTE LG, | D | M | EA | 1 | | | | | | |
| 5133-00-227-9672 | DRILL,TWIST: 1/2 IN. DIA, 4-1/2 IN. FLUTE LG, | D | M | EA | 1 | | | | | | |
| 5133-00-227-9650 | DRILL,TWIST: 1/8 IN. DIA, 1-5/8 IN. FLUTE LG, | D | M | EA | 1 | | | | | | |
| 5133-00-227-9664 | DRILL,TWIST: 11/32 IN. DIA, 3-7/16 IN. FLUTE LG, | D | M | EA | 1 | | | | | | |
| 5133-00-227-9653 | DRILL,TWIST: 11/64 IN. DIA, 2-1/8 IN. FLUTE LG, | D | M | EA | 1 | | | | | | |
| 5133-00-227-9668 | DRILL,TWIST: 13/32 IN. DIA, 3-7/8 IN. FLUTE LG, | D | M | EA | 1 | | | | | | |
| 5133-00-243-9612 | DRILL,TWIST: 13/64 IN. DIA, 2-7/16 IN. FLUTE LG, | D | M | EA | 1 | | | | | | |
| 5133-00-227-9673 | DRILL,TWIST: 15/32 IN. DIA, 4-5/16 IN. FLUTE LG, | D | M | EA | 1 | | | | | | |
| 5133-00-243-9611 | DRILL,TWIST: 15/64 IN. DIA, 2-5/8 IN. FLUTE LG, | D | M | EA | 1 | | | | | | |
| 5133-00-227-9659 | DRILL,TWIST: 17/64 IN. DIA, 2-7/8 IN. FLUTE LG, | D | M | EA | 1 | | | | | | |
| 5133-00-240-8443 | DRILL,TWIST: 19/64 IN. DIA, 3-1/16 IN. FLUTE LG, | D | M | EA | 1 | | | | | | |
| 5133-00-243-9613 | DRILL,TWIST: 21/64 IN. DIA, 3-5/16 IN. FLUTE LG, | D | M | EA | 1 | | | | | | |
| 5133-00-227-9665 | DRILL,TWIST: 23/64 IN. DIA, 3-1/2 IN. FLUTE LG, | D | M | EA | 1 | | | | | | |
| 5133-00-227-9667 | DRILL,TWIST: 25/64 IN. DIA, 3-3/4 IN. FLUTE LG, | D | M | EA | 1 | | | | | | |
| 5133-00-227-9669 | DRILL,TWIST: 27/64 IN. DIA, 3-15/16 IN. FLUTE LG, | D | M | EA | 1 | | | | | | |
| 5133-00-227-9671 | DRILL,TWIST: 29/64 IN. DIA, 4-3/16 IN. FLUTE LG, | D | M | EA | 1 | | | | | | |
| 5133-00-227-9654 | DRILL,TWIST: 3/16 IN. DIA, 2-5/16 IN. FLUTE LG, | D | M | EA | 1 | | | | | | |



*Reverse of DA Form 2062*

| HAND RECEIPT/ANNEX NUMBER<br>*For use of this form, see DA PAM 710-2-1. The proponent agency is ODCSLOG.* | FROM: | TO: | HAND RECEIPT NUMBER |
|---|---|---|---|

| FOR ANNEX/CR ONLY | END ITEM STOCK NUMBER | END ITEM DESCRIPTION | PUBLICATION NUMBER | PUBLICATION DATE | QUANTITY |
|---|---|---|---|---|---|
| | 4931-00-754-0740 | SHOP SET, INSTRUMENT AND FIRE CONTROL: FIELD MAINTENANCE, | SC 4931-95-CL-A07-HR | DECEMBER 1984 | |

| STOCK NUMBER<br>*a.* | ITEM DESCRIPTION<br>*b.* | *<br>*c.* | SEC<br>*d.* | UI<br>*e.* | QTY AUTH<br>*f.* | *g.* QUANTITY<br>A | B | C | D | E | F |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 5133-00-227-9648 | DRILL, TWIST: 3/32 IN. DIA, 1-1/4 IN. FLUTE LG, | D | M | EA | 1 | | | | | | |
| 5133-00-227-9666 | DRILL, TWIST: 3/8 IN. DIA, 3-5/8 IN. FLUTE LG, | D | M | EA | 1 | | | | | | |
| 5133-00-227-9674 | DRILL, TWIST: 31/64 IN. DIA, 4-3/8 IN. FLUTE LG, | D | M | EA | 1 | | | | | | |
| 5133-00-227-9662 | DRILL, TWIST: 5/16 IN. DIA, 3-3/16 IN. FLUTE LG, | D | M | EA | 1 | | | | | | |
| 5133-00-227-9652 | DRILL, TWIST: 5/32 IN. DIA, 2 IN. FLUTE LG, | D | M | EA | 1 | | | | | | |
| 5133-00-227-9647 | DRILL, TWIST: 5/64 IN. DIA, 1 IN. FLUTE LG, | D | M | EA | 1 | | | | | | |
| 5133-00-227-9670 | DRILL, TWIST: 7/16 IN. DIA, 4-1/16 IN. FLUTE LG, | D | M | EA | 1 | | | | | | |
| 5133-00-227-9656 | DRILL, TWIST: 7/32 IN. DIA, 2-1/2 IN. FLUTE LG, | D | M | EA | 1 | | | | | | |
| 5133-00-227-9649 | DRILL, TWIST: 7/64 IN. DIA, 1-1/2 IN. FLUTE LG, | D | M | EA | 1 | | | | | | |
| 5133-00-227-9651 | DRILL, TWIST: 9/64 IN. DIA, 1-3/4 IN. FLUTE LG, | D | M | EA | 1 | | | | | | |
| 5133-00-449-6775 | DRILL SET, TWIST: HSS, NO. 1 TO 60 SIZES, STR RND SHK | D | M | SE | | | | | | | |
| 5133-00-189-9246 | DRILL, TWIST: SIZE NO. 1, 2-5/8 IN. FLUTE LG, | D | M | EA | 2 | | | | | | |
| 5133-00-189-9255 | DRILL, TWIST: SIZE NO. 10, 2-7/16 IN. FLUTE LG, | D | M | EA | 2 | | | | | | |
| 5133-00-189-9256 | DRILL, TWIST: SIZE NO. 11, 2-5/16 IN. FLUTE LG, | D | M | EA | 2 | | | | | | |
| 5133-00-189-9257 | DRILL, TWIST: SIZE NO. 12, 2-5/16 IN. FLUTE LG, | D | M | EA | 2 | | | | | | |
| 5133-00-189-9258 | DRILL, TWIST: SIZE NO. 13, 2-5/16 IN. FLUTE LG, | D | M | EA | 2 | | | | | | |
| 5133-00-189-9259 | DRILL, TWIST: SIZE NO. 14, 2-3/16 IN. FLUTE LG, | D | M | EA | 2 | | | | | | |
| 5133-00-189-9260 | DRILL, TWIST: SIZE NO. 15, 2-3/16 IN. FLUTE LG, | D | M | EA | 2 | | | | | | |
| 5133-00-189-9261 | DRILL, TWIST: SIZE NO. 16, 2-3/16 IN. FLUTE LG, | D | M | EA | 2 | | | | | | |
| 5133-00-189-9262 | DRILL, TWIST: SIZE NO. 17, 2-3/16 IN. FLUTE LG, | D | M | EA | 2 | | | | | | |

* WHEN USED AS A:
HAND RECEIPT, enter Hand Receipt Annex Number
HAND RECEIPT FOR QUARTERS FURNITURE, enter Condition Codes
HAND RECEIPT ANNEX/COMPONENTS RECEIPT, enter Accounting Requirements Code (ARC).



DA FORM JAN 82 2062 EDITION OF JAN 58 IS OBSOLETE

BEST COPY AVAILABLE

BEST COPY AVAILABLE

| STOCK NUMBER<br>a. | ITEM DESCRIPTION<br>b. | *<br>c. | SEC<br>d. | UI<br>e. | QTY AUTH<br>f. | g. QUANTITY<br>A | B | C | D | E | F |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 5133-00-189-9263 | DRILL,TWIST: SIZE NO. 18, 2-1/8 IN. FLUTE LG, | D | M | EA | 2 | | | | | | |
| 5133-00-189-9264 | DRILL,TWIST: SIZE NO. 19, 2-1/8 IN. FLUTE LG, | D | M | EA | 2 | | | | | | |
| 5133-00-189-9247 | DRILL,TWIST: SIZE NO. 2, 2-5/8 IN. FLUTE LG, | D | M | EA | 2 | | | | | | |
| 5133-00-189-9265 | DRILL,TWIST: SIZE NO. 20, 2-1/8 IN. FLUTE LG, | D | M | EA | 2 | | | | | | |
| 5133-00-189-9266 | DRILL,TWIST: SIZE NO. 21, 2-1/8 IN. FLUTE LG, | D | M | EA | 2 | | | | | | |
| 5133-00-189-9267 | DRILL,TWIST: SIZE NO. 22, 2 IN. FLUTE LG, | D | M | EA | 2 | | | | | | |
| 5133-00-189-9268 | DRILL,TWIST: SIZE NO. 23, 2 IN. FLUTE LG, | D | M | EA | 2 | | | | | | |
| 5133-00-189-9269 | DRILL,TWIST: SIZE NO. 24, 2 IN. FLUTE LG, | D | M | EA | 2 | | | | | | |
| 5133-00-189-9270 | DRILL,TWIST: SIZE NO. 25, 1-7/8 IN. FLUTE LG, | D | M | EA | 2 | | | | | | |
| 5133-00-189-9271 | DRILL,TWIST: SIZE NO. 26, 1-7/8 IN. FLUTE LG, | D | M | EA | 2 | | | | | | |
| 5133-00-189-9272 | DRILL,TWIST: SIZE NO. 27, 1-7/8 IN. FLUTE LG, | D | M | EA | 2 | | | | | | |
| 5133-00-189-9273 | DRILL,TWIST: SIZE NO. 28, 1-3/4 IN. FLUTE LG, | D | M | EA | 2 | | | | | | |
| 5133-00-189-9274 | DRILL,TWIST: SIZE NO. 29, 1-3/4 IN. FLUTE LG, | D | M | EA | 2 | | | | | | |
| 5133-00-189-9248 | DRILL,TWIST: SIZE NO. 3, 2-1/2 IN. FLUTE LG, | D | M | EA | 2 | | | | | | |
| 5133-00-189-9275 | DRILL,TWIST: SIZE NO. 30, 1-5/8 IN. FLUTE LG, | D | M | EA | 2 | | | | | | |
| 5133-00-189-9276 | DRILL,TWIST: SIZE NO. 31, 1-5/8 IN. FLUTE LG, | D | M | EA | 2 | | | | | | |
| 5133-00-189-9277 | DRILL,TWIST: SIZE NO. 32, 1-5/8 IN. FLUTE LG, | D | M | EA | 2 | | | | | | |
| 5133-00-189-9278 | DRILL,TWIST: SIZE NO. 33, 1-1/2 IN. FLUTE LG, | D | M | EA | 2 | | | | | | |
| 5133-00-189-9279 | DRILL,TWIST: SIZE NO. 34, 1-1/2 IN. FLUTE LG, | D | M | EA | 2 | | | | | | |
| 5133-00-189-9280 | DRILL,TWIST: SIZE NO. 35, 1-1/2 IN. FLUTE LG, | D | M | EA | 2 | | | | | | |
| 5133-00-189-9281 | DRILL,TWIST: SIZE NO. 36, 1-7/16 IN. FLUTE LG, | D | M | EA | 2 | | | | | | |
| 5133-00-189-9282 | DRILL,TWIST: SIZE NO. 37, 1-7/16 IN. FLUTE LG, | D | M | EA | 2 | | | | | | |
| 5133-00-189-9283 | DRILL,TWIST: SIZE NO. 38, 1-7/16 IN. FLUTE LG, | D | M | EA | 2 | | | | | | |
| 5133-00-189-9284 | DRILL,TWIST: SIZE NO. 39, 1-3/8 IN. FLUTE LG, | D | M | EA | 2 | | | | | | |
| 5133-00-189-9249 | DRILL,TWIST: SIZE NO. 4, 2-1/2 IN. FLUTE LG, | D | M | EA | 2 | | | | | | |
| | | | | | | | | | | | |



*Reverse of DA Form 2062*

16

| HAND RECEIPT/ANNEX NUMBER<br>*For use of this form, see DA PAM 710-2-1. The proponent agency is ODCSLOG.* | FROM: | TO: | HAND RECEIPT NUMBER |
|---|---|---|---|

| FOR ANNEX/CR ONLY | END ITEM STOCK NUMBER | END ITEM DESCRIPTION | PUBLICATION NUMBER | PUBLICATION DATE | QUANTITY |
|---|---|---|---|---|---|
| | 4931-00-754-0740 | SHOP SET, INSTRUMENT AND FIRE CONTROL: FIELD MAINTENANCE, | SC 4931-95-CL-A07-HR | DECEMBER 1984 | |

| STOCK NUMBER<br>*a.* | ITEM DESCRIPTION<br>*b.* | *<br>*c.* | SEC<br>*d.* | UI<br>*e.* | QTY AUTH<br>*f.* | *g.* QUANTITY<br>A | B | C | D | E | F |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 5133-00-189-9285 | DRILL, TWIST: SIZE NO. 40, 1-3/8 IN. FLUTE LG, | D | M | EA | 2 | | | | | | |
| 5133-00-189-9286 | DRILL, TWIST: SIZE NO. 41, 1-3/8 IN. FLUTE LG, | D | M | EA | 2 | | | | | | |
| 5133-00-189-9287 | DRILL, TWIST: SIZE NO. 42, 1-1/4 IN. FLUTE LG, | D | M | EA | 2 | | | | | | |
| 5133-00-189-9288 | DRILL, TWIST: SIZE NO. 43, 1-1/4 IN. FLUTE LG, | D | M | EA | 2 | | | | | | |
| 5133-00-189-9289 | DRILL, TWIST: SIZE NO. 44, 1-1/8 IN. FLUTE LG, | D | M | EA | 2 | | | | | | |
| 5133-00-189-9290 | DRILL, TWIST: SIZE NO. 45, 1-1/8 IN. FLUTE LG, | D | M | EA | 2 | | | | | | |
| 5133-00-189-9291 | DRILL, TWIST: SIZE NO. 46, 1-1/8 IN. FLUTE LG, | D | M | EA | 2 | | | | | | |
| 5133-00-189-9292 | DRILL, TWIST: SIZE NO. 47, 1 IN. FLUTE LG, | D | M | EA | 2 | | | | | | |
| 5133-00-189-9293 | DRILL, TWIST: SIZE NO. 48, 1 IN. FLUTE LG, | D | M | EA | 2 | | | | | | |
| 5133-00-189-9294 | DRILL, TWIST: SIZE NO. 49, 1 IN. FLUTE LG, | D | M | EA | 2 | | | | | | |
| 5133-00-189-9250 | DRILL, TWIST: SIZE NO. 5, 2-1/2 IN. FLUTE LG, | D | M | EA | 2 | | | | | | |
| 5133-00-189-9295 | DRILL, TWIST: SIZE NO. 50, 1 IN. FLUTE LG, | D | M | EA | 2 | | | | | | |
| 5133-00-189-9296 | DRILL, TWIST: SIZE NO. 51, 1 IN. FLUTE LG, | D | M | EA | 2 | | | | | | |
| 5133-00-189-9297 | DRILL, TWIST: SIZE NO. 52, 7/8 IN. FLUTE LG, | D | M | EA | 2 | | | | | | |
| 5133-00-189-9298 | DRILL, TWIST: SIZE NO. 53, 7/8 IN. FLUTE LG, | D | M | EA | 2 | | | | | | |
| 5133-00-189-9299 | DRILL, TWIST: SIZE NO. 54, 7/8 IN. FLUTE LG, | D | M | EA | 2 | | | | | | |
| 5133-00-189-9300 | DRILL, TWIST: SIZE NO. 55, 7/8 IN. FLUTE LG, | D | M | EA | 2 | | | | | | |
| 5133-00-189-9301 | DRILL, TWIST: SIZE NO. 56, 3/4 IN. FLUTE LG, | D | M | EA | 2 | | | | | | |
| 5133-00-189-9302 | DRILL, TWIST: SIZE NO. 57, 3/4 IN. FLUTE LG, | D | M | EA | 2 | | | | | | |
| 5133-00-189-9303 | DRILL, TWIST: SIZE NO. 58, 11/16 IN. FLUTE LG, | D | M | EA | 2 | | | | | | |

* WHEN USED AS A:
HAND RECEIPT, enter Hand Receipt Annex Number
HAND RECEIPT FOR QUARTERS FURNITURE, enter Condition Codes
HAND RECEIPT ANNEX/COMPONENTS RECEIPT, enter Accounting Requirements Code (ARC).



BEST COPY AVAILABLE

BEST COPY AVAILABLE

| STOCK NUMBER *a.* | ITEM DESCRIPTION *b.* | * *c.* | SEC *d.* | UI *e.* | QTY AUTH *f.* | *g.* QUANTITY A | B | C | D | E | F |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 5133-00-189-9304 | DRILL,TWIST: SIZE NO. 59, 11/16 IN. FLUTE LG, | D | M | EA | 2 | | | | | | |
| 5133-00-189-9251 | DRILL,TWIST: SIZE NO. 6, 2-1/2 IN. FLUTE LG, | D | M | EA | 2 | | | | | | |
| 5133-00-189-9305 | DRILL,TWIST: SIZE NO. 60, 11/16 IN. FLUTE LG, | D | M | EA | 2 | | | | | | |
| 5133-00-189-9252 | DRILL,TWIST: SIZE NO. 7, 2-7/16 IN. FLUTE LG, | D | M | EA | 2 | | | | | | |
| 5133-00-189-9253 | DRILL,TWIST: SIZE NO. 8, 2-7/16 IN. FLUTE LG, | D | M | EA | 2 | | | | | | |
| 5133-00-189-9254 | DRILL,TWIST: SIZE NO. 9, 2-7/16 IN. FLUTE LG, | D | M | EA | 2 | | | | | | |
| 5133-00-555-1528 | DRILL SET,TWIST: HSS, STR RND SHK, W/CASE | D | M | SE | | | | | | | |
| 5133-00-233-6425 | DRILL,TWIST: SIZE NO. 65, 0.035 IN. DIA, 1-1/2 IN. | D | M | EA | 1 | | | | | | |
| 5133-00-262-2178 | DRILL,TWIST: SIZE NO. 67, 0.032 IN. DIA, 1-3/8 IN. | D | M | EA | 1 | | | | | | |
| 5133-00-224-4026 | DRILL,TWIST: SIZE NO. 76, 0.013 IN. DIA, 0.750 IN. | D | M | EA | 1 | | | | | | |
| 5133-00-224-4027 | DRILL,TWIST: SIZE NO. 76, 0.014 IN. DIA, 0.750 IN. | D | M | EA | 1 | | | | | | |
| 5133-00-224-4029 | DRILL,TWIST: SIZE NO. 76, 0.018 IN. DIA, 0.875 IN. | D | M | EA | 1 | | | | | | |
| 5133-00-262-2177 | DRILL,TWIST: SIZE NO. 76, 0.029 IN. DIA, 1.375 IN. | D | M | EA | 1 | | | | | | |
| 5133-00-266-9230 | DRILL,TWIST: SIZE NO. 76, 0.028 IN. DIA, 1.250 IN. | D | M | EA | 1 | | | | | | |
| 5133-00-266-9243 | DRILL,TWIST: SIZE NO. 76, 0.0260 IN. DIA, 1.250 IN. | D | M | EA | 1 | | | | | | |
| 5133-00-266-9245 | DRILL,TWIST: SIZE NO. 76, 0.0240 IN. DIA, 1.125 IN. | D | M | EA | 1 | | | | | | |
| 5133-00-266-9246 | DRILL,TWIST: SIZE NO. 76, 0.022 IN. DIA, 1.000 IN. | D | M | EA | 1 | | | | | | |
| 5133-00-266-9248 | DRILL,TWIST: SIZE NO. 76, 0.020 IN. DIA, 0..875 IN. | D | M | EA | 1 | | | | | | |
| 5133-00-262-2175 | DRILL,TWIST: SIZE NO. 76, 0.037 IN. DIA, 1.500 IN. | D | M | EA | 1 | | | | | | |
| 5133-00-262-2176 | DRILL,TWIST: SIZE NO. 76, 0.036 IN. DIA, 1.500 IN. | D | M | EA | 1 | | | | | | |
| 5133-00-266-9228 | DRILL,TWIST: SIZE NO. 76, 0.031 IN. DIA, 1.375 IN. | D | M | EA | 1 | | | | | | |
| 5133-00-266-9229 | DRILL,TWIST: SIZE NO. 76, 0.039 IN. DIA, 1.625 IN. | D | M | NA | 1 | | | | | | |
| 5133-00-266-9244 | DRILL,TWIST: SIZE NO. 76, 0.250 IN. DIA, 1.125 IN. | D | M | EA | 1 | | | | | | |
| 5133-00-266-9247 | DRILL,TWIST: STYLE NO. 52, 0.0210 IN. DIA, | D | M | EA | 1 | | | | | | |
| 5133-00-224-4028 | DRILL: 78 IN. DIA, 3/16 IN. FL LG, 7/8 IN. OA LG | D | M | EA | 1 | | | | | | |
| | | | | | | | | | | | |



*Reverse of DA Form 2062*

| HAND RECEIPT/ANNEX NUMBER<br>*For use of this form, see DA PAM 710-2-1. The proponent agency is ODCSLOG.* | FROM: | TO: | HAND RECEIPT NUMBER |
|---|---|---|---|

| FOR ANNEX/CR ONLY | END ITEM STOCK NUMBER | END ITEM DESCRIPTION | PUBLICATION NUMBER | PUBLICATION DATE | QUANTITY |
|---|---|---|---|---|---|
| | 4931-00-754-0740 | SHOP SET, INSTRUMENT AND FIRE CONTROL: FIELD MAINTENANCE, | SC 4931-95-CL-A07-HR | DECEMBER 1984 | |

| STOCK NUMBER<br>*a.* | ITEM DESCRIPTION<br>*b.* | *<br>*c.* | SEC<br>*d.* | UI<br>*e.* | QTY AUTH<br>*f.* | *g.* QUANTITY<br>A | B | C | D | E | F |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 5133-00-236-4029 | DRILL: 62 IN. DIA, 5/8 IN. FLUTE LG, 1-1/2 IN. OA LG | D | M | EA | 1 | | | | | | |
| 5133-00-236-4028 | DRILL: 66 IN. DIA, 1/2 IN. FLUTE LG, 1-3/8 IN. OA LG | D | M | EA | 1 | | | | | | |
| 5133-00-540-4375 | DRILL SET,TWIST: HSS, STR SHORT SHK, W/CASE | D | M | SE | | | | | | | |
| 5133-00-262-2191 | DRILL,TWIST: .234 IN. DIA, 2.625 IN. FLUTE LG, | D | M | EA | 1 | | | | | | |
| 5133-00-227-9660 | DRILL,TWIST: .281 IN. DIA, 2.9375 IN. FLUTE LG, | D | M | EA | 1 | | | | | | |
| 5133-00-232-6398 | DRILL,TWIST: 0.238 IN. DIA, 2.750 IN. FLUTE LG, | D | M | EA | 1 | | | | | | |
| 5133-00-232-6399 | DRILL,TWIST: 0.242 IN. DIA, 2.750 IN. FLUTE LG, | D | M | EA | 1 | | | | | | |
| 5133-00-262-2179 | DRILL,TWIST:0.246 IN. DIA, 2.750 IN. FLUTE LG, | D | M | EA | 1 | | | | | | |
| 5133-00-227-9658 | DRILL,TWIST: 0.250 IN. DIA, 2.750 IN. FLUTE LG, | D | M | EA | 1 | | | | | | |
| 5133-00-262-2192 | DRILL,TWIST: 0.257 IN. DIA, 2.875 IN. FLUTE LG, | D | M | EA | 1 | | | | | | |
| 5133-00-262-2193 | DRILL,TWIST: 0.261 IN. DIA, 2.875 IN. FLUTE LG, | D | M | EA | 1 | | | | | | |
| 5133-00-262-2194 | DRILL,TWIST: 0.266 IN. DIA, 2.875 IN. FLUTE LG, | D | M | EA | 1 | | | | | | |
| 5133-00-262-2157 | DRILL,TWIST: 0.272 IN. DIA, 2.875 IN. FLUTE LG, | D | M | EA | 1 | | | | | | |
| 5133-00-262-2158 | DRILL,TWIST: 0.277 IN. DIA, 2.875 IN. FLUTE LG, | D | M | EA | 1 | | | | | | |
| 5133-00-262-2160 | DRILL,TWIST: 0.290 IN. DIA, 2.9375 IN. FLUTE LG, | D | M | EA | 1 | | | | | | |
| 5133-00-262-2161 | DRILL,TWIST: 0.295 IN. DIA, 3.0625 IN. FLUTE LG, | D | M | EA | 1 | | | | | | |
| 5133-00-262-2162 | DRILL,TWIST: 0.302 IN. DIA, 3.0625 IN. FLUTE LG, | D | M | EA | 1 | | | | | | |
| 5133-00-262-2163 | DRILL,TWIST: 0.316 IN. DIA, 3.0625 IN. FLUTE LG, | D | M | EA | 1 | | | | | | |
| 5133-00-262-2164 | DRILL,TWIST: 0.323 IN. DIA, 3.3125 IN. FLUTE LG, | D | M | EA | 1 | | | | | | |
| 5133-00-262-2165 | DRILL,TWIST: 0.332 IN. DIA, 3.4375 IN. FLUTE LG, | D | M | EA | 1 | | | | | | |

* WHEN USED AS A:
HAND RECEIPT, enter Hand Receipt Annex Number
HAND RECEIPT FOR QUARTERS FURNITURE, enter Condition Codes
HAND RECEIPT ANNEX/COMPONENTS RECEIPT, enter Accounting Requirements Code (ARC).



DA FORM JAN 82 2062

EDITION OF JAN 58 IS OBSOLETE



BEST COPY AVAILABLE

BEST COPY AVAILABLE

| STOCK NUMBER *a.* | ITEM DESCRIPTION *b.* | # *c.* | SEC *d.* | UI *e.* | QTY AUTH *f.* | *g.* QUANTITY A | B | C | D | E | F |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 5133-00-262-2166 | DRILL,TWIST: 0.339 IN. DIA, 3.4375 IN. FLUTE LG, | D | M | EA | 1 | | | | | | |
| 5133-00-262-2167 | DRILL,TWIST: 0.348 IN. DIA, 3.500 IN. FLUTE LG, | D | M | EA | 1 | | | | | | |
| 5133-00-262-2168 | DRILL,TWIST: 0.358 IN. DIA, 3.500 IN. FLUTE LG, | D | M | EA | 1 | | | | | | |
| 5133-00-262-2169 | DRILL,TWIST: 0.368 IN. DIA, 3.625 IN. FLUTE LG, | D | M | EA | 1 | | | | | | |
| 5133-00-262-2170 | DRILL,TWIST: 0.377 IN. DIA, 3.625 IN. FLUTE LG, | D | M | EA | 1 | | | | | | |
| 5133-00-262-2171 | DRILL,TWIST: 0.386 IN. DIA, 3.750 IN. FLUTE LG, | D | M | EA | 1 | | | | | | |
| 5133-00-262-2172 | DRILL,TWIST: 0.397 IN. DIA, 3.750 FLUTE LG, | D | M | EA | 1 | | | | | | |
| 5133-00-262-2173 | DRILL,TWIST: 0.404 IN. DIA, 3.875 IN. FLUTE LG, | D | M | EA | 1 | | | | | | |
| 5133-00-262-2174 | DRILL,TWIST: 0.413 IN. DIA, 3.875 IN. FLUTE LG, | D | M | EA | 1 | | | | | | |
| 5130-00-204-2718 | DRILL,ELECTRIC PORTABLE: 1/2 IN SIZE, HVY-DUTY, KEYED | N | M | EA | 1 | | | | | | |
| 3413-00-221-8714 | DRILLING MACHINE,UPRIGHT: BENCH MTG, RND COLUMN TYPE, | N | U | EA | 1 | | | | | | |
| 5120-00-540-1416 | EXTRACTOR SET,SCREW: 20 COMPONENTS W/SLIDING | D | M | SE | | | | | | | |
| 5133-00-227-9658 | DRILL,TWIST: 0.250 IN. DIA, 2.750 IN. FLUTE LG, | D | M | EA | 1 | | | | | | |
| 5133-00-227-9650 | DRILL,TWIST: 1/8 IN. DIA, 1-5/8 IN. FLUTE LG, | D | M | EA | 1 | | | | | | |
| 5133-00-227-9664 | DRILL,TWIST: 11/32 IN. DIA, 3-7/16 IN. FLUTE LG, | D | M | EA | 1 | | | | | | |
| 5133-00-227-9654 | DRILL,TWIST: 3/16 IN. DIA, 2-5/16 IN. FLUTE LG, | D | M | EA | 1 | | | | | | |
| 5133-00-227-9662 | DRILL,TWIST: 5/16 IN. DIA, 3-3/16 IN. FLUTE LG, | D | M | EA | 1 | | | | | | |
| 5120-00-223-6944 | EXTRACTOR,SCREW: 1/2 IN. SCREW SIZE RATING | D | M | EA | 1 | | | | | | |
| 5120-00-223-6940 | EXTRACTOR,SCREW: 1/4 IN. SCREW SIZE RATING | D | M | EA | 1 | | | | | | |
| 5120-00-223-6942 | EXTRACTOR,SCREW: 3/8 IN. SCREW SIZE RATING | D | M | EA | 1 | | | | | | |
| 5120-00-223-6941 | EXTRACTOR,SCREW: 5/16 IN. SCREW SIZE RATING | D | M | EA | 1 | | | | | | |
| 5120-00-223-6943 | EXTRACTOR,SCREW: 7/16 IN. SCREW SIZE RATING | D | M | EA | 1 | | | | | | |
| 5120-00-223-8967 | GUIDE ,DRILL,SCREW EXTRACTING: 1/8 IN. DRILL SIZE ACCOM | D | M | EA | 1 | | | | | | |
| 5120-00-223-8868 | GUIDE,DRILL,SCREW EXTRACTING: 1/8 IN. DRILL SIZE ACCOM | D | M | EA | 1 | | | | | | |
| 5120-00-223-8960 | GUIDE,DRILL,SCREW EXTRACTING: 3/16 IN. DRILL SIZE ACCOM | D | M | EA | 1 | | | | | | |
| | | | | | | | | | | | |



*Reverse of DA Form 2062*

| HAND RECEIPT/ANNEX NUMBER<br>*For use of this form, see DA PAM 710-2-1. The proponent agency is ODCSLOG.* | FROM: | TO: | HAND RECEIPT NUMBER |
|---|---|---|---|

| FOR ANNEX/CR ONLY | END ITEM STOCK NUMBER | END ITEM DESCRIPTION | PUBLICATION NUMBER | PUBLICATION DATE | QUANTITY |
|---|---|---|---|---|---|
| | 4931-00-754-0740 | SHOP SET, INSTRUMENT AND FIRE CONTROL: FIELD MAINTENANCE, | SC 4931-95-CL-A07-HR | DECEMBER 1984 | |

| STOCK NUMBER<br>*a.* | ITEM DESCRIPTION<br>*b.* | *<br>*c.* | SEC<br>*d.* | UI<br>*e.* | QTY AUTH<br>*f.* | *g.* QUANTITY A | B | C | D | E | F |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 5120-00-223-8961 | GUIDE,DRILL,SCREW EXTRACTING: 3/16 IN DRILL SIZE ACCOM | D | M | EA | 1 | | | | | | |
| 5120-00-223-8962 | GUIDE,DRILL,SCREW EXTRACTING: 3/16 IN. DRILL SIZE ACCOM | D | M | EA | 1 | | | | | | |
| 5120-00-223-8963 | GUIDE,DRILL,SCREW EXTRACTING: 1/4 IN. DRILL SIZE ACCOM | D | M | EA | 1 | | | | | | |
| 5120-00-223-8964 | GUIDE,DRILL,SCREW EXTRACTING: 1/4 IN. DRILL SIZE ACCOM | D | M | EA | 1 | | | | | | |
| 5120-00-223-8965 | GUIDE,DRILL,SCREW EXTRACTING: 1/8 IN. DRILL SIZE ACCOM | D | M | EA | 1 | | | | | | |
| 5120-00-223-8966 | GUIDE,DRILL,SCREW EXTRACTING: 1/8 IN. DRILL SIZE ACCOM | D | M | EA | 1 | | | | | | |
| 5120-00-223-8968 | GUIDE,DRILL,SCREW EXTRACTING: 3/16 IN. DRILL SIZE ACCOM | D | M | EA | 1 | | | | | | |
| 5120-00-596-1071 | FACE,HAMMER,INSERTED: SCREW-IN TYPE, MDM PLSTC, | D | M | EA | 1 | | | | | | |
| 5120-00-596-1075 | FACE,HAMMER,INSERTED: SCREW-IN TYPE, TOUGH PLSTC, | D | M | EA | 1 | | | | | | |
| 5110-00-156-0092 | FILE,HAND: AMERICAN PATT, EX SLIM TPR TYPE, SGL-CUT | D | M | EA | 1 | | | | | | |
| 5110-00-234-6532 | FILE,HAND: AMERICAN PATT, FL TYPE, DBL-CUT FACE CUT | D | M | EA | 1 | | | | | | |
| 5110-00-241-9152 | FILE,HAND: AMERICAN PATT, HALF-RND TYPE, SM CUT, | D | M | EA | 1 | | | | | | |
| 5110-00-242-5383 | FILE,HAND: AMERICAN PATT, HAND TYPE, DBL-CUT SM | D | M | EA | 1 | | | | | | |
| 5110-00-241-9138 | FILE,HAND: AMERICAN PATT, MILL TYPE, SGL-CUT SM FACES | D | M | EA | 1 | | | | | | |
| 5110-00-239-6882 | FILE,HAND: AMERICAN PATT, PILLAR TYPE, DBL-CUT | D | M | EA | 1 | | | | | | |
| 5110-00-234-6553 | FILE,HAND: AMERICAN PATT, RND TYPE, 5/16 IN. DIA OF | D | M | EA | 1 | | | | | | |
| 5120-00-251-2267 | FLARING TOOL,TUBE,HAND: SWVL CONE, HINGED DIES TYPE, | D | M | EA | 1 | | | | | | |
| 5110-00-289-9657 | FRAME,HAND,HACKSAW: ADJ, OPEN PISTOL GRIP HDL, | D | M | EA | 1 | | | | | | |
| 5110-00-223-4972 | FRAME,JEWELER'S SAW: ADJ, 2 IN. TO 3 IN. DEPTH OF THROAT | D | M | EA | 2 | | | | | | |
| 5210-00-222-4000 | GAGE,CENTER: TOOL SETTING AND GRINDING TYPE, 60 DEG | D | M | EA | 1 | | | | | | |

* WHEN USED AS A:
HAND RECEIPT, enter Hand Receipt Annex Number .
HAND RECEIPT FOR QUARTERS FURNITURE, enter Condition Codes
HAND RECEIPT ANNEX/COMPONENTS RECEIPT, enter Accounting Requirements Code (ARC).



BEST COPY AVAILABLE

BEST COPY AVAILABLE

| STOCK NUMBER *a.* | ITEM DESCRIPTION *b.* | * *c.* | SEC *d.* | UI *e.* | QTY AUTH *f.* | *g.* QUANTITY A | B | C | D | E | F |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 5210-00-221-1902 | GAGE,DEPTH,RULE: GRAD IN UNITS 32NDS AND | D | M | EA | 1 | | | | | | |
| 5210-00-274-2861 | GAGE,DEPTH,VERNIER: ENGLISH MEASURE, 2 BLADES, | N | M | EA | 1 | | | | | | |
| 5210-00-273-9867 | GAGE,FILLET AND RADIUS: 16 BL, SGL END BL OR 8 BL | D | M | EA | 1 | | | | | | |
| 5210-00-246-8834 | GAGE,FILLET AND RADIUS: 16 BLADES, 2 BL GP ENCASED | D | M | EA | 1 | | | | | | |
| 6685-00-247-8703 | GAGE,PRESSURE,DIAL INDICATING: BRZ, SGL BOURDON TUBE, | X | U | EA | 1 | | | | | | |
| 5210-00-203-7763 | GAGE,SCREW PITCH: ENCASED BL, 2 OR 3 BL GP, 51 BL | D | M | EA | 1 | | | | | | |
| 5210-00-221-1991 | GAGE,SCREW PITCH: S CASE, 60 DEG ANGLE TEETH, 28 BLADES, | D | M | EA | 1 | | | | | | |
| 5210-00-221-1842 | GAGE,SURFACE: UNIV TYPE, 8-3/4 IN. MIN TO 12-1/4 | D | M | EA | 1 | | | | | | |
| 5210-00-221-1999 | GAGE,THICKNESS: 1 BL GP, ENGLISH MEASURE, 26 TPR BL, | D | M | EA | 1 | | | | | | |
| 5210-00-221-1893 | GAGE,TWIST DRILL AND DRILL ROD: 5-1/2 IN. LG | D | M | EA | 1 | | | | | | |
| 5210-00-203-7657 | GAGE,TWIST DRILL AND DRILL ROD: LETTER SIZE, A TO Z | D | M | EA | 1 | | | | | | |
| 5210-00-273-9865 | GAGE,TWIST DRILL: 6-1/4 IN. LG, 2-5/16 IN. W | D | M | EA | 1 | | | | | | |
| 6115-00-889-1446 | GENERATOR SET,GASOLINE ENGINE: AC, 1.5 KW 60 HZ NOM | N | U | EA | 1 | | | | | | |
| 8415-00-268-8349 | GLOVES MENS: WORK TYPE, GAUNTLET CUFF, CREAM OR GRAY, | N | U | PR | 2 | | | | | | |
| 4240-00-269-7912 | GOGGLES,INDUSTRIAL: VENTILATED PLSTC EYE CUP, ADJ | X | U | PR | 1 | | | | | | |
| 3415-00-517-7754 | GRINDING MACHINE,UTILITY: BENCH MTG, 5/8 IN. DIA | N | U | EA | | | | | | | |
| 3460-00-882-1228 | WHEEL ABRASIVE: 36 GRIT SIZE | X | U | EA | 1 | | | | | | |
| 3460-00-187-8680 | WHEEL ABRASIVE: 90 GRIT SIZE | X | U | EA | 1 | | | | | | |
| 5120-00-061-8541 | HAMMER,HAND: MACHINIST'S BALL PEEN, 8 OZ HD WT, | D | M | EA | 1 | | | | | | |
| 5120-01-065-2211 | HAMMER,HAND: PLSTC, SOFT HD, NONSPARKING 4.000 LB WT | D | M | EA | 1 | | | | | | |
| 5120-01-072-7987 | HAMMER,HAND: PLSTC, SOFT-HD STYLE HARD DESIGN, 8 OZ WT | D | M | EA | 1 | | | | | | |
| 5120-00-242-3908 | HAMMER,HAND: SOFT BRS HD, 4 OZ TOTAL WT | D | M | EA | 1 | | | | | | |
| 5110-00-263-0342 | HANDLE,FILE: WOOD, 1 IN. DIA OA, SIZE 1, 4 IN. LG OA | D | M | EA | 8 | | | | | | |
| 4931-00-612-1110 | HOLDER,TELESCOPE: FOR INSTRUMENT REPAIR TRUCK, | X | U | EA | 1 | | | | | | |
| 5210-00-223-9648 | INDICATOR,DIAL: 0.030 IN. MEASURING CAP., 0.001 IN. | D | M | EA | 1 | | | | | | |



*Reverse of DA Form 2062*

| HAND RECEIPT/ANNEX NUMBER<br>*For use of this form, see DA PAM 710-2-1.*<br>*The proponent agency is ODCSLOG.* | FROM: | TO: | HAND RECEIPT NUMBER |
|---|---|---|---|

| FOR ANNEX/CR ONLY | END ITEM STOCK NUMBER | END ITEM DESCRIPTION | PUBLICATION NUMBER | PUBLICATION DATE | QUANTITY |
|---|---|---|---|---|---|
| | 4931-00-754-0740 | SHOP SET, INSTRUMENT AND FIRE CONTROL: FIELD MAINTENANCE, | SC 4931-95-CL-A07-HR | DECEMBER 1984 | |

| STOCK NUMBER<br>*a.* | ITEM DESCRIPTION<br>*b.* | *<br>*c.* | SEC<br>*d.* | UI<br>*e.* | QTY AUTH<br>*f.* | *g.* QUANTITY<br>A | B | C | D | E | F |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 5120-00-935-4641 | KEY SET, SOCKET HEAD SCREW: HEX DR, L-TYPE HDL, W/CASE | D | M | SE | | | | | | | |
| 5120-00-555-2639 | KEY,SOCKET HEAD SCREW: 0.028 IN. WRENCHING SURFACE, | D | M | EA | 1 | | | | | | |
| 5120-00-198-5400 | KEY,SOCKET HEAD SCREW: 0.035 IN. WRENCHING SURFACE, | D | M | NA | 1 | | | | | | |
| 5120-00-198-5401 | KEY,SOCKET HEAD SCREW: 0.050 IN. WRENCHING SURFACE, | D | M | EA | 1 | | | | | | |
| 5120-00-198-5398 | KEY,SOCKET HEAD SCREW: 1/16 IN. W ACROSS FLATS, | D | M | EA | 1 | | | | | | |
| 5120-00-198-5391 | KEY,SOCKET HEAD SCREW: 1/2 IN. WRENCHING SURFACE, | D | M | EA | 1 | | | | | | |
| 5120-00-224-4659 | KEY,SOCKET HEAD SCREW: 1/4 IN. W ACROSS FLATS, | D | M | EA | 1 | | | | | | |
| 5120-00-240-5292 | KEY,SOCKET HEAD SCREW: 1/8 IN. WRENCHING SURFACE, | D | M | EA | 1 | | | | | | |
| 5120-00-240-5300 | KEY,SOCKET HEAD SCREW: 3/16 IN. W ACROSS FLATS, | D | M | EA | 1 | | | | | | |
| 5120-00-242-7410 | KEY,SOCKET HEAD SCREW: 3/32 IN. WRENCHING SURFACE, | D | M | EA | 1 | | | | | | |
| 5120-00-222-1489 | KEY,SOCKET HEAD SCREW: 3/4 IN. WRENCHING SURFACE, | D | M | EA | 1 | | | | | | |
| 5120-00-198-5390 | KEY,SOCKET HEAD SCREW: 3/8 IN. W ACROSS FLATS, | D | M | EA | 1 | | | | | | |
| 5120-00-240-5274 | KEY,SOCKET HEAD SCREW: 5/16 IN. W ACROSS FLATS, | D | M | EA | 1 | | | | | | |
| 5120-00-198-5392 | KEY,SOCKET HEAD SCREW: 5/32 IN. W ACROSS FLATS, | D | M | EA | 1 | | | | | | |
| 5120-00-224-2504 | KEY,SOCKET HEAD SCREW: 5/64 IN. WRENCHING SURFACE, | D | M | EA | 1 | | | | | | |
| 5120-00-224-2510 | KEY,SOCKET HEAD SCREW: 5/8 IN. WRENCHING SURFACE, | D | M | EA | 1 | | | | | | |
| 5120-00-240-5277 | KEY,SOCKET HEAD SCREW: 7/16 IN. WRENCHING SURFACE, | D | M | EA | 1 | | | | | | |
| 5120-00-242-7411 | KEY,SOCKET HEAD SCREW: 7/32 IN. WRENCHING SURFACE, | D | M | EA | 1 | | | | | | |
| 5120-00-889-2162 | KEY,SOCKET HEAD SCREW: 7/64 IN. W ACROSS FLATS, | D | M | EA | 1 | | | | | | |
| 5120-00-240-5268 | KEY,SOCKET HEAD SCREW: 9/16 IN. WRENCHING SURFACE, | D | M | EA | 1 | | | | | | |

* WHEN USED AS A:
HAND RECEIPT, enter Hand Receipt Annex Number
HAND RECEIPT FOR QUARTERS FURNITURE, enter Condition Codes
HAND RECEIPT ANNEX/COMPONENTS RECEIPT, enter Accounting Requirements Code (ARC).



DA FORM JAN 82 2062

EDITION OF JAN 58 IS OBSOLETE



BEST COPY AVAILABLE

BEST COPY AVAILABLE

| STOCK NUMBER a. | ITEM DESCRIPTION b. | * c. | SEC d. | UI e. | QTY AUTH f. | g. QUANTITY A | B | C | D | E | F |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 5210-00-241-3623 | LEVEL,BENCH: CI, SGL FACE, ADJ TO TRUE VIALS ONLY, | D | M | EA | | | | | | | |
| 5120-00-889-2163 | KEY,SOCKET HEAD SCREW: 9/64 IN. WRENCHING SURFACE, | D | M | EA | 1 | | | | | | |
| 5210-00-288-6758 | LEVEL,BENCH: CI, SGL FACE, ADJ TO TRUE VIALS ONLY, | D | M | EA | 1 | | | | | | |
| 6230-00-729-9259 | LIGHT,EXTENSION: 24 FT LG OA, AC, 115/250 V | X | U | EA | 2 | | | | | | |
| 4930-00-764-8117 | LUBRICATING GUN: HAND INJECTION HAND OPERATED, PUMP TYPE | X | U | EA | 1 | | | | | | |
| 6625-01-139-2512 | MULTIMETER,DIGITAL: AN/PSI-45-3-1/2 IN. DIGITAL | N | U | EA | 1 | | | | | | |
| 8120-00-244-6984 | CYLINDER, COMPRESSED | X | U | EA | 1 | | | | | | |
| 4930-00-266-9182 | OILER,HAND: 8 OZ CAP., COMPRESSIBLE SURFACE | X | J | EA | 2 | | | | | | |
| 4940-00-795-3595 | PAN,WASH: S, 19 GA, ZN-CTD, LEAKPROOF, 18-1/2 IN. LG X | X | U | EA | 2 | | | | | | |
| 5220-00-273-8302 | PARALLEL: S, STR BAR TYPE, 3/4 IN. H X 3/8 IN. W X | D | U | PR | 1 | | | | | | |
| 5220-00-879-6405 | PLATE,SURFACE: CI SIZE 3 IN. X 12 IN. X 18 IN. W/3 | D | U | EA | 1 | | | | | | |
| 5120-00-247-5177 | PLIERS : LG RND NOSE, W/CUTTER, 6 IN. OA | D | M | EA | 1 | | | | | | |
| 5110-00-239-8253 | PLIERS,DIAGONAL CUTTING: 6 IN. OA/ | D | M | EA | 2 | | | | | | |
| 5120-00-278-0351 | PLIERS,SLIP JOINT: ANGLE NOSE, MULT TONGUE AND | D | M | EA | 2 | | | | | | |
| 5120-00-223-7397 | PLIERS,SLIP JOINT: STR NOSE, W/O INSUL HDL | D | M | EA | 2 | | | | | | |
| 5120-00-789-0492 | PLIERS,SNAP RING: INTL JAW AND EXTERNAL JAW | D | M | EA | 1 | | | | | | |
| 5120-00-224-1541 | PLIERS: PARALLEL ACTION JAWS, W/CUTTER, 6-1/2 IN. | D | M | EA | 1 | | | | | | |
| 5210-00-234-8949 | PLUMB BOB: SOLID S BODY, REMOVABLE OR NONREMOVABLE | D | M | EA | 1 | | | | | | |
| 6130-00-435-1116 | POWER SUPPLY: SEMICONDUCTOR FULL WAVE RECTIFICATION, | X | U | EA | 1 | | | | | | |
| 5120-00-883-3003 | PUNCH SET, DRIVE PIN: 9 STR PUNCHES, W/CASE | D | M | SE | | | | | | | |
| 5120-00-240-6082 | PUNCH,DRIVE PIN: 1/16 IN. PT DIA, 1/2 IN. PT LG, | D | M | EA | 2 | | | | | | |
| 5120-00-240-6083 | PUNCH,DRIVE PIN: 1/4 IN. PT DIA, 1 IN. FT LG, | D | M | EA | 2 | | | | | | |
| 5120-00-242-5966 | PUNCH,DRIVE PIN: 1/8 IN. PT DIA, 3/4 IN. PT LG, | D | M | EA | 2 | | | | | | |
| 5120-00-293-0791 | PUNCH,DRIVE PIN: 3/16 IN. PT DIA, 15/16 IN. PT LG, | D | M | EA | 2 | | | | | | |
| 5120-00-242-3435 | PUNCH,DRIVE PIN: 3/32 IN. PT DIA, 11/16 IN. PT LG, | D | M | EA | 2 | | | | | | |



*Reverse of DA Form 2062*

| HAND RECEIPT/ANNEX NUMBER<br>*For use of this form, see DA PAM 710-2-1. The proponent agency is ODCSLOG.* | FROM: | TO: | HAND RECEIPT NUMBER |
|---|---|---|---|

| FOR ANNEX/CR ONLY | END ITEM STOCK NUMBER | END ITEM DESCRIPTION | PUBLICATION NUMBER | PUBLICATION DATE | QUANTITY |
|---|---|---|---|---|---|
| | 4931-00-754-0740 | SHOP SET, INSTRUMENT AND FIRE CONTROL: FIELD MAINTENANCE, | SC 4931-95-CL-A07-HR | DECEMBER 1984 | |

| STOCK NUMBER<br>*a.* | ITEM DESCRIPTION<br>*b.* | *<br>*c.* | SEC<br>*d.* | UI<br>*e.* | QTY AUTH<br>*f.* | *g.* QUANTITY | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | A | B | C | D | E | F |
| 5120-00-273-0001 | PUNCH,DRIVE PIN: 3/8 IN. PT DIA, 1 IN. PT LG, | D | M | EA | 2 | | | | | | |
| 5120-00-293-0793 | PUNCH,DRIVE PIN: 5/16 IN. PT DIA, 1 IN. PT LG, | D | M | EA | 2 | | | | | | |
| 5120-00-240-6104 | PUNCH,DRIVE PIN: 5/32 IN. PT DIA, 13/16 IN. PT LG, | D | M | EA | 2 | | | | | | |
| 5120-00-293-0792 | PUNCH,DRIVE PIN: 7/32 IN. PT DIA, 1 IN. PT LG, | D | M | EA | 2 | | | | | | |
| 5120-00-293-3509 | PUNCH,CENTER,SOLID: 5/32 IN. PT DIA, 3/8 IN. STK DIA, | D | M | EA | 2 | | | | | | |
| 5120-00-242-3433 | PUNCH,DRIVE PIN: TPR TYPE, 1/8 IN. DIA, 1-1/2 IN. MIN | D | M | EA | 1 | | | | | | |
| 5110-00-596-1133 | REAMER SET HAND: HSS, ADJ TYPE, STR RND SHK | D | M | SE | | | | | | | |
| 5110-00-255-6541 | REAMER,HAND: 1/2 IN. STR REAMER DIA, 3 IN. FLUTE LG, | D | M | EA | 1 | | | | | | |
| 5110-00-260-1664 | REAMER,HAND: 1/4 IN. STR REAMER DIA, 2 IN. FLUTE LG | D | M | EA | 1 | | | | | | |
| 5110-00-186-6687 | REAMER,HAND: 1/8 IN. DIA, 1-1/8 IN. LG FLUTE, | D | M | EA | 1 | | | | | | |
| 5110-00-260-1668 | REAMER,HAND: 11/32 IN. STR REAMER DIA, 2-3/8 IN. FLUTE | D | M | EA | 1 | | | | | | |
| 5110-00-186-6690 | REAMER,HAND: 11/64 IN. DIA, 1-3/4 IN. LG | D | M | EA | 1 | | | | | | |
| 5110-00-260-1671 | REAMER,HAND: 13/32 IN. STR REAMER DIA, 2-5/8 IN. | D | M | EA | 1 | | | | | | |
| 5110-00-186-6692 | REAMER,HAND: 13/64 IN. DIA, 1-7/8 IN. LG | D | M | EA | 1 | | | | | | |
| 5110-00-260-1641 | REAMER,HAND: 15/32 IN. STR REAMER DIA, 2-7/8 IN. | D | M | EA | 1 | | | | | | |
| 5110-00-260-1640 | REAMER,HAND: 17/64 IN. DIA, 2-1/8 IN. LG | D | M | EA | 1 | | | | | | |
| 5110-00-186-6698 | REAMER,HAND: 19/64 IN. DIA, 2-1/4 IN. LG | D | M | EA | 1 | | | | | | |
| 5110-00-260-1667 | REAMER,HAND: 21/64 IN. DIA, 2-3/8 IN. LG | D | M | EA | 1 | | | | | | |
| 5110-00-186-6702 | REAMER,HAND: 23/64 IN. DIA, 2-1/2 IN. LG | D | M | EA | 1 | | | | | | |
| 5110-00-801-1431 | REAMER,HAND: 27/64 IN. DIA, 2-3/4 IN. LG | D | M | EA | 1 | | | | | | |

* WHEN USED AS A:
HAND RECEIPT, enter Hand Receipt Annex Number
HAND RECEIPT FOR QUARTERS FURNITURE, enter Condition Codes
HAND RECEIPT ANNEX/COMPONENTS RECEIPT, enter Accounting Requirements Code (ARC).



DA FORM JAN 82 2062

EDITION OF JAN 58 IS OBSOLETE

25

BEST COPY AVAILABLE

BEST COPY AVAILABLE

| STOCK NUMBER *a.* | ITEM DESCRIPTION *b.* | * *c.* | SEC *d.* | UI *e.* | QTY AUTH *f.* | *g.* QUANTITY A | B | C | D | E | F |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 5110-00-186-6708 | REAMER,HAND: 29/64 IN. DIA, 2-7/8 IN. LG | D | M | EA | 1 | | | | | | |
| 5110-00-260-1665 | REAMER,HAND: 3/16 IN. DIA, 1-3/4 IN. LG | D | M | EA | 1 | | | | | | |
| 5110-00-255-6579 | REAMER,HAND: 3/8 IN. STR REAMER DIA, 2-1/2 IN. FLUTE | D | M | EA | 1 | | | | | | |
| 5110-00-186-6710 | REAMER,HAND: 31/64 IN. DIA, 3 IN. LG FLUTE, | D | M | EA | 1 | | | | | | |
| 5110-00-255-6600 | REAMER,HAND: 5/16 IN. DIA, 2-1/4 IN. FLUTE LG | D | M | EA | 1 | | | | | | |
| 5110-00-268-1253 | REAMER,HAND: 5/32 IN. DIA, 1-5/8 IN. LG FLUTE, | D | M | EA | 1 | | | | | | |
| 5110-00-268-1258 | REAMER,HAND: 7/16 IN. STR REAMER DIA, 2-3/4 IN. FLUTE | D | M | EA | 1 | | | | | | |
| 5110-00-186-6693 | REAMER,HAND: 7/32 IN. DIA, 1-7/8 IN. LG | D | M | EA | 1 | | | | | | |
| 5110-00-186-6697 | REAMER,HAND: 9/32 IN. STR REAMER DIA, 2-1/8 IN. FLUTE | D | M | EA | 1 | | | | | | |
| 5110-00-186-6688 | REAMER,HAND: 9/64 IN. DIA, 1-5/8 IN. LG | D | M | EA | 1 | | | | | | |
| 5110-00-186-6704 | REAMER: 0.391 IN. DIA, 2.6250 IN. FL LG, 5.2500 IN. LG | D | M | EA | 1 | | | | | | |
| 5110-00-948-1106 | REAMER SET,HAND: HSS, HAND TYPE, STR RND SHK W/SQ-END, | D | M | EA | 1 | | | | | | |
| 5110-00-253-3152 | REAMER,HAND: HSS, TPR PIN TYPE, STR RND SHK W/SQ-END, | D | M | EA | 12 | | | | | | |
| 5110-00-253-3154 | REAMER,HAND: HSS, TPR PIN TYPE, STR RND SHK W/SQ-END, | D | M | EA | 12 | | | | | | |
| 5110-00-253-3156 | REAMER,HAND: HSS, TPR PIN TYPE, STR RND SHK W/SQ-END | D | M | EA | 12 | | | | | | |
| 5110-00-253-3158 | REAMER,HAND: HSS, TPR PIN TYPE, STR RND SHK W/SQ-END, | D | M | EA | 12 | | | | | | |
| 5110-00-253-3160 | REAMER,HAND: HSS, TPR PIN TYPE, STR RND SHK | D | M | EA | 12 | | | | | | |
| 5110-00-243-2003 | REAMER,HAND: HSS, TPR PIN, STR RND SHK W/SQ-END | D | M | EA | 12 | | | | | | |
| 5110-00-243-2004 | REAMER,HAND: NO. 0 SIZE, 2-15/16 IN. LG OA | D | M | EA | 12 | | | | | | |
| 5120-00-308-3809 | REPAIR TOOL,PNEUMATIC TIRE,VALVE: FOR STD TIRE | D | M | EA | 2 | | | | | | |
| 5120-00-545-4268 | RETRIEVING TOOL,MAGNETIC: TELESCOPING TYPE, | D | M | EA | 1 | | | | | | |
| 5975-00-777-6781 | ROD,GROUND: 5 FT LG, 5/8 IN. DIA, CONE PT, SEPARABLE | X | U | EA | 1 | | | | | | |
| 5210-00-234-5224 | RULE,STEEL,MACHINIST'S: 12 IN. LG, 0.940 IN. TO | D | M | EA | 1 | | | | | | |
| 5210-00-725-7347 | RULE,STEEL,MACHINIST'S: 6 IN. LG, 0.700 IN. TO | D | M | EA | 1 | | | | | | |
| 5210-00-971-8827 | RULE,STEEL,MACHINIST'S: 6 IN. LG, 4-3/4 IN. W, | D | M | EA | 2 | | | | | | |
| | | | | | | | | | | | |



*Reverse of DA Form 2062*

| HAND RECEIPT/ANNEX NUMBER<br>*For use of this form, see DA PAM 710-2-1. The proponent agency is ODCSLOG.* | FROM: | TO: | HAND RECEIPT NUMBER |
|---|---|---|---|

| FOR ANNEX/CR ONLY | END ITEM STOCK NUMBER | END ITEM DESCRIPTION | PUBLICATION NUMBER | PUBLICATION DATE | QUANTITY |
|---|---|---|---|---|---|
| | 4931-00-754-0740 | SHOP SET, INSTRUMENT AND FIRE CONTROL: FIELD MAINTENANCE, | SC 4931-95-CL-A07-HR | DECEMBER 1984 | |

| STOCK NUMBER<br>*a.* | ITEM DESCRIPTION<br>*b.* | *<br>*c.* | SEC<br>*d.* | UI<br>*e.* | QTY AUTH<br>*f.* | *g.* QUANTITY<br>A | B | C | D | E | F |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 7240-00-222-3084 | SAFETY CAN: S, 1 GAL CAP FLEX SPOUT, 3/8 IN. MIN AND | X | U | EA | 2 | | | | | | |
| 5120-00-832-6221 | SCREW,STARTER,HAND: DBL-END, PHILLIPS AND STR SLOT | D | M | EA | 1 | | | | | | |
| 5120-00-580-0334 | SCREWDRIVER SET,CROSS TIP,STRAIGHT AND OFFSET: | D | M | EA | | | | | | | |
| 5120-00-234-8913 | SCREWDRIVER,CROSS TIP: NO. 2 TIP, PLSTC HDL | D | M | EA | 1 | | | | | | |
| 5120-00-234-8912 | SCREWDRIVER,CROSS TIP: NO. 3 TIP, PLSTC HDL | D | M | EA | 1 | | | | | | |
| 5120-00-224-7375 | SCREWDRIVER,CROSS TIP: NO. 4 TIP, 8 IN. LG BL/ | D | M | EA | 1 | | | | | | |
| 5120-00-242-3268 | SCREWDRIVER,CROSS TIP: OFFSET, TIP NO. 3 AND 4, 6 IN. | D | M | EA | 1 | | | | | | |
| 5120-00-240-8716 | SCREWDRIVER,CROSS TIP: STR, NO. 1 TIP SIZE, | D | M | EA | 1 | | | | | | |
| 5120-00-256-9014 | SCREWDRIVER,OFFSET: TIP NO. 1 AND 2, | D | M | EA | 1 | | | | | | |
| 5120-00-237-6985 | SCREWDRIVER,FLAT TIP: CUSHION GRIP HDL, 3/8 IN. | D | M | EA | 2 | | | | | | |
| 5120-00-278-1283 | SCREWDRIVER,FLAT TIP: PLSTC HDL, WRENCH GRIP, | D | M | EA | 1 | | | | | | |
| 5120-00-236-2140 | SCREWDRIVER,FLAT TIP: PLSTC HDL, W/POCKET CLIP, | D | M | EA | 1 | | | | | | |
| 5120-00-596-8502 | SCREWDRIVER,FLAT TIP: PLSTC HDL, 1/4 IN. W/FLARED | D | M | EA | 1 | | | | | | |
| 5120-00-222-8852 | SCREWDRIVER,FLAT TIP: 1/4 IN. W, FLARED SIDE 4 IN. LG/ | D | M | EA | 4 | | | | | | |
| 5120-00-236-2127 | SCREWDRIVER,FLAT TIP: 3/16 IN. W STR SIDED TIP, | D | M | EA | 1 | | | | | | |
| 5120-00-180-0730 | SCREWDRIVER,JEWELER'S: 0.100 IN. W TIP | D | M | EA | 1 | | | | | | |
| 5120-00-224-9728 | SCRIBER,MACHINIST'S: SGL-PT TYPE, POCKET STYLE, | D | M | EA | 2 | | | | | | |
| 5110-00-293-0089 | SHEARS,METAL CUTTING,HAND: STR PATT, 12-1/2 IN. LG OA | D | M | EA | 1 | | | | | | |
| 5110-00-293-9199 | SHEARS,STRAIGHT TRIMMER'S: S BL AND HDL, NKL-PLD | D | M | EA | 2 | | | | | | |
| 3439-00-853-8760 | SOLDERING IRON, ELECTRIC: AC, 115 V, 55 WATTS, 9 TIPS | X | U | EA | | | | | | | |

* WHEN USED AS A:
HAND RECEIPT, enter Hand Receipt Annex Number
HAND RECEIPT FOR QUARTERS FURNITURE, enter Condition Codes
HAND RECEIPT ANNEX/COMPONENTS RECEIPT, enter Accounting Requirements Code (ARC).



DA FORM 2062 JAN 82

EDITION OF JAN 58 IS OBSOLETE

BEST COPY AVAILABLE

BEST COPY AVAILABLE

| STOCK NUMBER *a.* | ITEM DESCRIPTION *b.* | # *c.* | SEC *d.* | UI *e.* | QTY AUTH *f.* | *g.* QUANTITY A | B | C | D | E | F |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 3439-00-866-6258 | SOLDERING IRON, ELECTRIC: AC, 120 V, 60 WATTS | X | U | EA | 1 | | | | | | |
| 3439-00-018-1751 | TIP,ELECTRIC SOLDERING IRON: BENT A7 BODY STYLE, | X | U | EA | 1 | | | | | | |
| 3439-00-018-1720 | TIP,ELECTRIC SOLDERING IRON: STR, A3 BODY STYLE | X | U | EA | 1 | | | | | | |
| 3439-00-018-1726 | TIP,ELECTRIC SOLDERING IRON: STR, A3 BODY STYLE, | X | U | EA | 1 | | | | | | |
| 3439-00-018-1727 | TIP,ELECTRIC SOLDERING IRON: STR, A3 BODY STYLE, | X | U | EA | 1 | | | | | | |
| 3439-00-018-1728 | TIP,ELECTRIC SOLDERING IRON: STR, A3 BODY STYLE | X | U | EA | 1 | | | | | | |
| 3439-00-018-1729 | TIP,ELECTRIC SOLDERING IRON: STR, A3 BODY STYLE, | X | U | EA | 1 | | | | | | |
| 3439-00-898-4497 | TIP,ELECTRIC SOLDERING IRON: STR A3 BODY, | X | U | EA | 1 | | | | | | |
| 3439-00-018-1717 | TIP,ELECTRIC SOLDERING IRON: 45 DEG ANGLE, A7 | X | U | EA | 1 | | | | | | |
| 5140-00-952-4022 | TOOL BOX,PORTABLE: S, BAKED ENAMEL FNSH, SGL LATCH | D | M | EA | 1 | | | | | | |
| 3439-00-407-0676 | SOLDERING IRON,ELECTRIC: 0.250 LBS NOM WT. | X | U | EA | 1 | | | | | | |
| 3439-00-542-0531 | SOLDERING TORCH KIT: C/O DISPOSABLE FUEL CYL, BURNER | X | U | EA | 1 | | | | | | |
| 5345-00-584-4671 | STONE,COMMUTATOR SURFACING: AL OXIDE, NO. 69 STYLE | X | U | EA | 1 | | | | | | |
| 5345-00-584-4554 | STONE,SHARPENING: AL-OXIDE ABRASIVE MATERIAL, | X | U | EA | 1 | | | | | | |
| 5345-00-584-4615 | STONE,SHARPENING: AL-OXIDE ABRASIVE MATERIAL, | X | U | EA | 2 | | | | | | |
| 5345-00-224-6595 | STONE,SHARPENING: AL-OXIDE ABRASIVE MATERIAL, FLINT/ | X | U | EA | 2 | | | | | | |
| 5345-00-161-9695 | STONE,SHARPENING: COMB TYPE, MTD IN BOX, SYNTH, AL-OXIDE | X | U | EA | 2 | | | | | | |
| 5345-00-584-4607 | STONE, SHARPENING;EX FINE, SQ, 6IN.LG X 12 IN. W X | X | U | EA | 1 | | | | | | |
| 5345-00-198-8060 | STONE,SHARPENING: NATURAL, HARD GRIT, RND, 3-1/2 IN. | X | U | EA | 1 | | | | | | |
| 5345-00-584-4496 | STONE,SHARPENING: NATURAL, UNMTD, HARD GRIT | X | U | EA | 1 | | | | | | |
| 5345-00-243-6087 | STONE,SHARPENING: NOVACULITE ABRASIVE MATERIAL, | X | U | EA | 1 | | | | | | |
| 5345-00-198-8050 | STONE,SHARPENING: SILICON CARBIDE ABRASIVE MATERIAL, | X | U | EA | 1 | | | | | | |
| 7110-00-634-8596 | STOOL,REVOLVING: W/FOOT REST, 26-3/4 IN. MIN AND 32 IN. | X | U | EA | 2 | | | | | | |
| 5110-00-268-4224 | STRIPPER,WIRE,HAND: W/AUTO STOP RETURN, NO. 4 BL | D | M | EA | 2 | | | | | | |
| 4910-00-543-7771 | TABLE,WORK,AUTOMOTIVE MAINTENANCE: S, HARDWOOD WORKING | X | U | EA | 2 | | | | | | |



*Reverse of DA Form 2062*

| HAND RECEIPT/ANNEX NUMBER<br>*For use of this form, see DA PAM 710-2-1. The proponent agency is ODCSLOG.* | FROM: | TO: | HAND RECEIPT NUMBER |
|---|---|---|---|

| FOR ANNEX/CR ONLY | END ITEM STOCK NUMBER | END ITEM DESCRIPTION | PUBLICATION NUMBER | PUBLICATION DATE | QUANTITY |
|---|---|---|---|---|---|
| | 4931-00-754-0740 | SHOP SET, INSTRUMENT AND FIRE CONTROL: FIELD MAINTENANCE, | SC 4931-95-CL-A07-HR | DECEMBER 1984 | |

| STOCK NUMBER<br>*a.* | ITEM DESCRIPTION<br>*b.* | *<br>*c.* | SEC<br>*d.* | UI<br>*e.* | QTY AUTH<br>*f.* | *g.* QUANTITY<br>A | B | C | D | E | F |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 4910-00-543-7772 | TABLE,WORK,AUTOMOTIVE MAINTENANCE: 60 IN. LG X | D | U | EA | 1 | | | | | | |
| 5136-00-261-3246 | TAP,THREAD CUTTING: HSS, HAND TYPE, PLUG STYLE, | D | M | EA | 10 | | | | | | |
| 5136-00-228-1004 | TAP,THREAD CUTTING: HSS, PLUG TYPE, STR FLUTE, | D | M | EA | 10 | | | | | | |
| 5136-00-889-6629 | TAP,THREAD CUTTING: HSS, PLUG TYPE, STR FLUTE, | D | M | EA | 10 | | | | | | |
| 5136-00-580-7323 | TAP,THREAD CUTTING: HSS, PLUG TYPE, STR FLUTE, | D | M | EA | 10 | | | | | | |
| 5136-00-272-9761 | TAP,THREAD CUTTING: PLUG TYPE, THD SIZE 0.073-72UNF | D | M | EA | 10 | | | | | | |
| 5210-00-287-3335 | TAPE,MEASURING: S, ENAMEL SURFACE TREATMENT, GENERAL | D | M | EA | 1 | | | | | | |
| 5210-00-221-1882 | TAPE,MEASURING: S, GENERAL PURPOSE DIST MEASURING, | D | M | EA | 1 | | | | | | |
| 6685-00-908-6355 | THERMOMETER,SELF-INDICATING,BIMETAL: 250 DEG F | X | U | EA | 1 | | | | | | |
| 6685-00-908-6356 | THERMOMETER,SELF-INDICATING,BIMETAL: 100-150 DEG F | X | U | EA | 1 | | | | | | |
| 5140-00-525-7196 | TRAY,NESTING: S, 8 IN. W X 4 IN. DEEP X 10 IN. LG | D | M | EA | 1 | | | | | | |
| 3460-00-343-8861 | V-BLOCK SET: SGL GROOVE, CI, 3 BLOCKS | D | U | EA | 1 | | | | | | |
| 3460-00-725-5076 | V-BLOCK: MATCHED PR, I CLAMP TYPE, GND SURFACE FINISHED, | X | U | PR | 2 | | | | | | |
| 5120-00-357-8176 | VISE SET,PIN: 4 VISES, W/MET HDL, W/CHUCK | D | M | SE | | | | | | | |
| 5120-00-224-7271 | VISE,PIN: 0.000 TO 0.040 IN. CHUCK RG | D | M | EA | 2 | | | | | | |
| 5120-00-243-1348 | VISE,PIN: 0.025 TO 0.062 IN. CHUCK RG | D | M | EA | 2 | | | | | | |
| 5120-00-243-1349 | VISE,PIN: 0.045 TO 0.125 IN. CHUCK RG | D | M | EA | 2 | | | | | | |
| 5120-00-243-1351 | VISE,PIN: 0.110 TO 0.187 IN. CHUCK RG | D | M | EA | 2 | | | | | | |
| 5120-00-243-1372 | VISE,BENCH,CLAMP BASE: STATIONARY BASE W/ANVIL BACK, | D | M | EA | 2 | | | | | | |
| 5120-00-293-1439 | VISE,MACHINIST'S: SWVL TYPE BASE, 4 IN. JAW, 6 IN. | N | M | EA | 1 | | | | | | |

* WHEN USED AS A
HAND RECEIPT, enter Hand Receipt Annex Number
HAND RECEIPT FOR QUARTERS FURNITURE, enter Condition Codes
HAND RECEIPT ANNEX/COMPONENTS RECEIPT, enter Accounting Requirements Code (ARC)



DA FORM JAN 82 2062

EDITION OF JAN 58 IS OBSOLETE



BEST COPY AVAILABLE

BEST COPY AVAILABLE

| STOCK NUMBER *a.* | ITEM DESCRIPTION *b.* | * *c.* | SEC *d.* | UI *e.* | QTY AUTH *f.* | *g.* QUANTITY A | B | C | D | E | F |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 5120-00-264-3795 | WRENCH ,ADJUSTABLE: S, CHR-PLD, OPEN END SGL HD | D | M | EA | 2 | | | | | | |
| 5120-00-729-6427 | WRENCH ,TORQUE: DEFLECTING FRAME END DR,STYLE, DIAL | N | M | EA | 1 | | | | | | |
| 5120-00-148-7918 | WRENCH SET, OPEN END, FIXED: DBL-HD, 6 COMPONENTS | D | M | SE | | | | | | | |
| 5140-00-106-5616 | ROLL,TOOLS,AND ACCESSORIES: PLSTC VINYL, 17 IN. NOM | D | M | EA | 1 | | | | | | |
| 5120-00-277-2342 | WRENCH,OPEN END: DBL-HD TYPE, 15 DEG ANGLE, | D | M | EA | 1 | | | | | | |
| 5120-00-187-7124 | WRENCH,OPEN END: DBL-HD TYPE, 15 DEG ANGLE, | D | M | EA | 1 | | | | | | |
| 5120-00-187-7131 | WRENCH,OPEN END: DBL-HD TYPE, 15 DEG ANGLE, | D | M | EA | 1 | | | | | | |
| 5120-00-187-7133 | WRENCH,OPEN END: DBL-HD TYPE, 15 DEG ANGLE | D | M | EA | 1 | | | | | | |
| 5120-00-277-8301 | WRENCH,OPEN END: DBL-HD TYPE, 15 DEG ANGLE | D | M | EA | 1 | | | | | | |
| 5120-00-187-7129 | WRENCH,OPEN END: DGL-HD TYPE, 15 DEG ANGLE | D | M | EA | 1 | | | | | | |
| 5120-00-449-8128 | WRENCH SET,OPEN END,FIXED: DBL HD TYPE, | D | M | SE | | | | | | | |
| 5140-00-106-5616 | ROLL,TOOLS,AND ACCESSORIES: PLSTC VINYL, 17 IN. NOM | X | M | EA | 1 | | | | | | |
| 5120-00-277-1324 | WRENCH,OPEN END: DBL-HD TYPE, 15 DEG ANGLE, 3/16 IN. | D | M | EA | 1 | | | | | | |
| 5120-00-277-1325 | WRENCH,OPEN END: DBL-HD TYPE, 15 DEG ANGLE, | D | M | EA | 1 | | | | | | |
| 5120-00-277-2312 | WRENCH,OPEN END: DBL-HD TYPE, 15 DEG ANGLE, 5/16 IN. | D | M | EA | 1 | | | | | | |
| 5120-00-277-2342 | WRENCH,OPEN END: DBL-HD TYPE, 15 DEG ANGLE, | D | M | EA | 1 | | | | | | |
| 5120-00-081-2307 | WRENCH SET,SOCKET: 1/2 IN. SQ-DR, 20 COMPONENTS | N | M | SE | | | | | | | |
| 5140-00-103-9172 | CASE,SOCKET WRENCH SET: S, 6.000 IN. W, 2.500 IN. H, | D | M | EA | 1 | | | | | | |
| 5120-00-227-8074 | EXTENSION,SOCKET WRENCH: 10 IN. LG | D | M | EA | 1 | | | | | | |
| 5120-00-243-1697 | EXTENSION,SOCKET WRENCH: 2 IN. LG/ | D | M | EA | 1 | | | | | | |
| 5120-00-243-7326 | EXTENTION,SOCKET WRENCH: 5 IN. LG | D | M | EA | 1 | | | | | | |
| 5120-00-236-7590 | HANDLE,SOCKET WRENCH: HINGED, FLEX TYPE 1/2 IN. SQ-DR | D | M | EA | 1 | | | | | | |
| 5120-00-221-7958 | HANDLE,SOCKET WRENCH: HINGED, FLEX TYPE, 9 IN. TO | D | M | EA | 1 | | | | | | |
| 5120-00-230-6385 | HANDLE,SOCKET WRENCH: RVS RCHT TYPE, 1/2 IN., SQ-DR | D | M | EA | 1 | | | | | | |
| 5120-00-189-7913 | SOCKET ,SOCKET WRENCH: 1/2 IN. SQ-DR, 1-1/16 IN. 12 PT | D | M | EA | 1 | | | | | | |
| | | | | | | | | | | | |



*Reverse of DA Form 2062*

| HAND RECEIPT/ANNEX NUMBER<br>*For use of this form, see DA PAM 710-2-1. The proponent agency is ODCSLOG.* | FROM: | TO: | HAND RECEIPT NUMBER |
|---|---|---|---|

| FOR ANNEX/CR ONLY | END ITEM STOCK NUMBER | END ITEM DESCRIPTION | PUBLICATION NUMBER | PUBLICATION DATE | QUANTITY |
|---|---|---|---|---|---|
| | 4931-00-754-0740 | SHOP SET, INSTRUMENT AND FIRE CONTROL: FIELD MAINTENANCE, | SC 4931-95-CL-A07-HR | DECEMBER 1984 | |

| STOCK NUMBER *a.* | ITEM DESCRIPTION *b.* | * *c.* | SEC *d.* | UI *e.* | QTY AUTH *f.* | *g.* QUANTITY A | B | C | D | E | F |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 5120-00-189-7914 | SOCKET ,SOCKET WRENCH: 1/2 IN. SQ-DR, 1-1/8 IN. 12 PT | D | M | EA | 1 | | | | | | |
| 5120-00-189-7934 | SOCKET ,SOCKET WRENCH: 1/2 IN. SQ-DR, 7/8 IN. 12 PT | D | M | EA | 1 | | | | | | |
| 5120-00-189-7935 | SOCKET ,SOCKET WRENCH: 1/2 IN. SQ-DR, 15/16 IN. 12 PT | D | M | EA | 1 | | | | | | |
| 5120-00-189-7985 | SOCKET ,SOCKET WRENCH: 1/2 IN. SQ-DR, 3/4 IN. 12 PT | D | M | EA | 1 | | | | | | |
| 5120-00-237-0984 | SOCKET,SOCKET WRENCH: 1/2 IN. SQ-DR, 1/2 IN. 12 PT OPNG | D | M | EA | 1 | | | | | | |
| 5120-00-235-5870 | SOCKET,SOCKET WRENCH: 1/2 IN. SQ-DR, 11/16 IN. 12 PT | D | M | EA | 1 | | | | | | |
| 5120-00-189-7917 | SOCKET,SOCKET WRENCH: 1/2 IN. SQ-DR, 1-1/4 IN. 12 PT | D | M | EA | 1 | | | | | | |
| 5120-00-189-7924 | SOCKET,SOCKET WRENCH: 1/2 IN. SQ-DR, 7/16 IN. 12 PT OPN | D | M | EA | 1 | | | | | | |
| 5120-00-189-7927 | SOCKET,SOCKET WRENCH: 1/2 IN. SQ-DR, 1 IN. 12 PT OPNG | D | M | EA | 1 | | | | | | |
| 5120-00-189-7932 | SOCKET,SOCKET WRENCH: 1/2 IN. SQ-DR, 9/16 IN. 12 PT | D | M | EA | 1 | | | | | | |
| 5120-00-189-7933 | SOCKET,SOCKET WRENCH: 1/2 IN. SQ-DR, 13/16 IN. 12 PT | D | M | EA | 1 | | | | | | |
| 5120-00-189-7946 | SOCKET,SOCKET WRENCH: 1/2 IN. SQ-DR, 5/8 IN. 12 PT | D | M | EA | 1 | | | | | | |
| 5120-00-269-7971 | UNIVERSAL JOINT,SOCKET WRENCH ATTACHMENT: S, | D | M | EA | 1 | | | | | | |
| 5120-00-081-2305 | WRENCH SET,SOCKET: 1/4 IN. DR, 13 CHR PLD COMPONENTS | D | M | SE | | | | | | | |
| 5140-00-357-5468 | CASE,SOCKET WRENCH SET: S, 2-5/8 IN. W, 1-5/8 IN. H, | D | M | EA | 1 | | | | | | |
| 5120-00-227-8105 | EXTENSION,SOCKET WRENCH: 1/4 IN. SQ DR, SOLID | D | M | EA | 1 | | | | | | |
| 5120-00-221-7957 | HANDLE,SOCKET WRENCH: RCHT TYPE, 1/4 IN. SQ DR 4 IN. LG | D | M | EA | 1 | | | | | | |
| 5120-00-242-3256 | HANDLE,SOCKET WRENCH: 1/4 IN. SQ-DR, 6 IN. LG | D | M | EA | 1 | | | | | | |
| 5120-00-242-3351 | SOCKET ,SOCKET WRENCH: 11/32 IN. OPNG, 12-PT SHAPE | D | M | EA | 1 | | | | | | |
| 5120-00-242-3352 | SOCKET ,SOCKET WRENCH: 3/8 IN. OPNG, 12-PT SHAPE | D | M | EA | 1 | | | | | | |

* WHEN USED AS A
HAND RECEIPT, enter Hand Receipt Annex Number
HAND RECEIPT FOR QUARTERS FURNITURE, enter Condition Codes
HAND RECEIPT ANNEX/COMPONENTS RECEIPT, enter Accounting Requirements Code (ARC).



DA FORM JAN 82 2062 EDITION OF JAN 58 IS OBSOLETE



BEST COPY AVAILABLE

BEST COPY AVAILABLE

| STOCK NUMBER *a.* | ITEM DESCRIPTION *b.* | * *c.* | SEC *d.* | UI *e.* | QTY AUTH *f.* | *g.* QUANTITY A | B | C | D | E | F |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 5120-00-235-5878 | SOCKET ,SOCKET WRENCH: 5/16 IN. OPNG, 12-PT SHAPE | D | M | EA | 1 | | | | | | |
| 5120-00-236-2264 | SOCKET,SOCKET WRENCH: HEX, 1/4 IN. OPNG, 1/4 IN. SQ DR | D | M | EA | 1 | | | | | | |
| 5120-00-236-2262 | SOCKET,SOCKET WRENCH: HEX, 3/16 IN. OPNG, 1/4 IN. SQ DR | D | M | EA | 1 | | | | | | |
| 5120-00-236-2263 | SOCKET,SOCKET WRENCH: HEX, 7/32 IN. OPNG, 1/4 IN. SQ DR | D | M | EA | 1 | | | | | | |
| 5120-00-242-3345 | SOCKET,SOCKET WRENCH: HEX, 9/32 IN. OPNG, 1/4 IN. SQ DR | D | M | EA | 1 | | | | | | |
| 5120-00-189-8610 | SOCKET,SOCKET WRENCH: 1/2 IN. OPNG, 12-PT SHAPE | D | M | EA | 1 | | | | | | |
| 5120-00-235-5869 | SOCKET,SOCKET WRENCH: 7/16 IN. OPNG, 12-PT SHAPE | D | M | EA | 1 | | | | | | |
| 5120-00-243-1686 | UNIVERSAL JOINT,SOCKET WRENCH ATTACHMENT: 1/4 IN. SQ DR | D | M | EA | 1 | | | | | | |
| 5120-00-322-6231 | WRENCH SET,SOCKET: 3/8 IN. SQ-DR, 12 PT OPNG | D | M | SE | | | | | | | |
| 5140-00-103-9172 | CASE,SOCKET WRENCH SET: S, 6.000 IN. W, 2.500 IN. H, | D | M | EA | 1 | | | | | | |
| 5120-00-243-1691 | EXTENSION,SOCKET WRENCH: RIGID, 3/8 IN. SQ DR, 12 IN. L | D | M | EA | 1 | | | | | | |
| 5120-00-227-8107 | EXTENSION,SOCKET WRENCH: RIGID, 3/8 IN. SQ-DR, 6 IN. LG | D | M | EA | 1 | | | | | | |
| 5120-00-237-4969 | HANDLE,SOCKET WRENCH: BRACE, SPEEDER TYPE, 3/8 IN. SQ | D | M | EA | 1 | | | | | | |
| 5120-00-240-5396 | HANDLE,SOCKET WRENCH: HINGED TYPE, 3/8 IN. SQ DR | D | M | EA | 1 | | | | | | |
| 5120-00-240-5364 | HANDLE,SOCKET WRENCH: RCHT TYPE, 3/8 IN. SQ DR | D | M | EA | 1 | | | | | | |
| 5120-00-237-0978 | SOCKET ,SOCKET WRENCH: UNIV JT, 9/16 IN. 12 PT OPNG | D | M | EA | 1 | | | | | | |
| 5120-00-237-0977 | SOCKET ,SOCKET WRENCH: 1/2 IN. OPNG, DBL HEX RGLR LG | D | M | EA | 1 | | | | | | |
| 5120-00-232-5706 | SOCKET ,SOCKET WRENCH: 11/16 IN. OPNG, DBL HEX, RGLR LG | D | M | EA | 1 | | | | | | |
| 5120-00-237-4973 | SOCKET ,SOCKET WRENCH: 5/8 IN. OPNG, DBL HEX, RGLR LG | D | M | EA | 1 | | | | | | |
| 5120-00-227-6703 | SOCKET ,SOCKET WRENCH: 7/16 IN. OPNG, DBL HEX, RGLR LG | D | M | EA | 1 | | | | | | |
| 5120-00-239-0017 | SOCKET ,SOCKET WRENCH: 9/16 IN. OPNG, DBL HEX, DEEPWELL | D | M | EA | 1 | | | | | | |
| 5120-00-596-0836 | SOCKET,SOCKET WRENCH: DEEP STYLE, 12 PT, 13/16 IN. OPNG | D | M | EA | 1 | | | | | | |
| 5120-00-242-3330 | SOCKET,SOCKET WRENCH: RGLR STYLE, 12 PT, 7/8 IN. OPNG | D | M | EA | 1 | | | | | | |
| 5120-00-235-5807 | SOCKET,SOCKET WRENCH: RGLR STYLE, 12 PT, 13/16 IN. | D | M | EA | 1 | | | | | | |
| 5120-00-241-3185 | SOCKET,SOCKET WRENCH: 1/2 IN. OPNG, DBL HEX, DEEPWELL | D | M | EA | 1 | | | | | | |
| | | | | | | | | | | | |



*Reverse of DA Form 2062*

| HAND RECEIPT/ANNEX NUMBER<br>*For use of this form, see DA PAM 710-2-1. The proponent agency is ODCSLOG.* | FROM: | TO: | HAND RECEIPT NUMBER |
|---|---|---|---|

| FOR ANNEX/CR ONLY | END ITEM STOCK NUMBER | END ITEM DESCRIPTION | PUBLICATION NUMBER | PUBLICATION DATE | QUANTITY |
|---|---|---|---|---|---|
| | 4931-00-754-0740 | SHOP SET, INSTRUMENT AND FIRE CONTROL: FIELD MAINTENANCE, | SC 4931-95-CL-A07-HR | DECEMBER 1984 | |

| STOCK NUMBER<br>*a.* | ITEM DESCRIPTION<br>*b.* | *<br>*c.* | SEC<br>*d.* | UI<br>*e.* | QTY AUTH<br>*f.* | *g.* QUANTITY<br>A | B | C | D | E | F |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 5120-00-242-3355 | SOCKET,SOCKET WRENCH: 1/2 IN. SIZE, DBL HEX, RGLR LG | D | M | EA | 1 | | | | | | |
| 5120-00-277-4252 | SOCKET,SOCKET WRENCH: 11/16 IN. OPNG, DBL HEX, RGLR LG | D | M | EA | 1 | | | | | | |
| 5120-00-235-5879 | SOCKET,SOCKET WRENCH: 3/4 IN. OPNG, DBL HEX, DEEPWELL | D | M | EA | 1 | | | | | | |
| 5120-00-227-6705 | SOCKET,SOCKET WRENCH: 3/4 IN. OPNG, DBL HEX, RGLR LG | D | M | EA | 1 | | | | | | |
| 5120-00-227-6702 | SOCKET,SOCKET WRENCH: 3/8 IN. OPNG, DBL HEX, RGLR LG, | D | M | EA | 1 | | | | | | |
| 5120-00-239-0018 | SOCKET,SOCKET WRENCH: 5/8 IN. OPNG, DBL HEX, DEEPWELL | D | M | EA | 1 | | | | | | |
| 5120-00-227-6704 | SOCKET,SOCKET WRENCH: 9/16 IN. OPNG, DBL HEX, RGLR LG | D | M | EA | 1 | | | | | | |
| 5120-00-224-9215 | UNIVERSAL JOINT,SOCKET WRENCH: 3/8 IN. SQ-DR | D | M | EA | 1 | | | | | | |
| 5120-00-449-8083 | WRENCH, ADJUSTABLE: S, AUTOMOBILE, 0 TO 3-5/8 IN. JAW | D | M | EA | 1 | | | | | | |
| 5120-00-240-5328 | WRENCH,ADJUSTABLE: S, SGL-HD TYPE, WORM ADJ, 0.531 IN. | D | M | EA | 2 | | | | | | |
| 5120-00-277-1483 | WRENCH,PIPE: ADJ JAW STYLE, 1/8 IN. TO 1/2 IN. IPS, | D | M | EA | 1 | | | | | | |
| 5120-00-277-4244 | WRENCH,PLIER: TWO STR JAW STYLE, OVAL SGL END, | D | M | EA | 1 | | | | | | |
| 5120-00-561-0854 | WRENCH,SPANNER: ADJ, FACE TYPE, 0.034 IN. TO | D | M | EA | 1 | | | | | | |
| 5120-00-561-0855 | WRENCH,SPANNER: ADJ, FACE TYPE, 0.034 IN. TO | D | M | EA | 1 | | | | | | |
| 5120-00-595-8996 | WRENCH,SPANNER: S, ADJ, 0.597 IN. DIA, 6-31/32 IN. | D | M | EA | 1 | | | | | | |
| 5120-00-277-4063 | WRENCH,TAP AND REAMER ADJUSTABLE: STR HDL, | D | M | EA | 1 | | | | | | |
| 5120-00-289-0539 | WRENCH,TAP AND REAMER: STR HDL STYLE, 0.164 TO 0.750 | D | M | EA | 1 | | | | | | |
| 5120-00-529-2552 | WRENCH,TORQUE: DEFLECTING FRAME END DR STYLE, | D | M | EA | 1 | | | | | | |
| 5120-00-541-3001 | WRENCH,TORQUE: DEFLECTING FRAME END DR STYLE, | D | M | EA | 1 | | | | | | |
| 5120-00-221-7983 | WRENCH,TORQUE: RIGID FRAME END DR STYLE, W/VISUAL | X | M | EA | 1 | | | | | | |

* WHEN USED AS A
HAND RECEIPT, enter Hand Receipt Annex Number
HAND RECEIPT FOR QUARTERS FURNITURE, enter Condition Codes
HAND RECEIPT ANNEX/COMPONENTS RECEIPT, enter Accounting Requirements Code (ARC).



BEST COPY AVAILABLE

DA FORM JAN 82 2062 EDITION OF JAN 58 IS OBSOLETE

BEST COPY AVAILABLE

| STOCK NUMBER<br>a. | ITEM DESCRIPTION<br>b. | #<br>c. | SEC<br>d. | UI<br>e. | QTY AUTH<br>f. | g. QUANTITY | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | A | B | C | D | E | F |
| 5120-00-230-6380 | WRENCH,TORQUE: S, RIGID FRAME END DRIVE, 5 IN. LB | D | M | EA | 1 | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | PAGE 034 OF 034 PAGES | | | | | | | | | | |

*Reverse of DA Form 2062*

34

**By Order of the Secretary of the Army:**

**JOHN A. WICKHAM, JR.**
***General, United States Army***
***Chief of Staff***

**Official:**

**DONALD J. DELANDRO**
***Brigadier General, United States Army***
***The Adjutant General***

**Distribution:**

To be distributed in accordance with DA Form 12-21A requirements for FSC Group 4931-CL.

☆ U.S. GOVERNMENT PRINTING OFFICE: 1985—554-018/20039



BEST COPY AVAILABLE